



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
1	GI and General Surgery	1K031	Consultation 31/Exam	PC	Lenovo		AMBAD01MG01K031	Y	
1	GI and General Surgery	1K031	Consultation 31/Exam	Monitor	Acer			Y	
1	GI and General Surgery	1K031	Consultation 31/Exam	eSignature Pad	Topaz			Y	
1	GI and General Surgery	1K031	Consultation 31/Exam	Phone	Avaya			Y	
1	GI and General Surgery	1K031	Consultation 31/Exam	Sound Bar				Y	
1	GI and General Surgery	1K032	Exam 32	PC	Lenovo		AMBAD02MG01K032	Y	
1	GI and General Surgery	1K032	Exam 32	Monitor	Lenovo			Y	Telehealth
1	GI and General Surgery	1K032	Exam 32	Monitor	Acer			Y	
1	GI and General Surgery	1K032	Exam 32	Phone	Avaya			Y	
1	GI and General Surgery	1K032	Exam 32	eSignature Pad	Topaz			Y	
1	GI and General Surgery	1K033	Exam 33	PC	Lenovo		AMBAD01MG01K033	Y	
1	GI and General Surgery	1K033	Exam 33	Monitor	Acer	24"		Y	
1	GI and General Surgery	1K033	Exam 33	Phone	Avaya			Y	
1	GI and General Surgery	1K034	Exam 34	PC	Lenovo		AMBAD02MG01K034	Y	
1	GI and General Surgery	1K034	Exam 34	Monitor	Lenovo			Y	Telehealth
1	GI and General Surgery	1K034	Exam 34	Monitor	Acer			Y	
1	GI and General Surgery	1K034	Exam 34	Phone	Avaya			Y	
1	GI and General Surgery	1K034	Exam 34	eSignature Pad	Topaz			Y	
1	GI and General Surgery	1K035	Exam 35	PC	Lenovo		Unknown	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
1	GI and General Surgery	1K035	Exam 35	Monitor	Lenovo			Y	Telehealth
1	GI and General Surgery	1K035	Exam 35	Monitor	Acer			Y	
1	GI and General Surgery	1K035	Exam 35	Phone	Avaya			Y	
1	GI and General Surgery	1K035	Exam 35	eSignature Pad	Topaz			Y	
1	GI and General Surgery	1K036	Exam 36	PC	Lenovo		AMBAD01MG01K036	Y	
1	GI and General Surgery	1K036	Exam 36	Monitor	Acer	24"		Y	
1	GI and General Surgery	1K036	Exam 36	Phone	Avaya			Y	
1	GI and General Surgery	1K036	Exam 36	Sound Bar				Y	
1	GI and General Surgery	1K036	Exam 36	eSignature Pad	Topaz			Y	
1	GI and General Surgery	1K037	Exam 37	PC	Lenovo		AMBAD01MG01K037	Y	
1	GI and General Surgery	1K037	Exam 37	Monitor	Acer	24"		Y	
1	GI and General Surgery	1K037	Exam 37	Phone	Avaya			Y	
1	GI and General Surgery	1K037	Exam 37	eSignature Pad	Topaz			Y	
1	GI and General Surgery	1K038	Exam 38	PC	Lenovo		AMBAD01MG01K038	Y	
1	GI and General Surgery	1K038	Exam 38	Monitor	Lenovo			Y	Telehealth
1	GI and General Surgery	1K038	Exam 38	Monitor	Acer			Y	
1	GI and General Surgery	1K038	Exam 38	Phone	Avaya			Y	
1	GI and General Surgery	1K038	Exam 38	eSignature Pad	Topaz			Y	
1	GI and General Surgery	1K041	Discharge Nurse	PC	Lenovo		AMBBD01MG01K041	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
1	GI and General Surgery	1K041	Discharge Nurse	Monitor	Lenovo			Y	Telehealth
1	GI and General Surgery	1K041	Discharge Nurse	Monitor	Acer			Y	
1	GI and General Surgery	1K041	Discharge Nurse	Phone	Avaya			Y	
1	GI and General Surgery	1K041	Discharge Nurse	Printer	HP	Laserjet P4014dn	GHSLP1K041	Y	
1	GI and General Surgery		Registration	PC	Lenovo		AMBAD02MG01KNSB	Y	
1	GI and General Surgery		Registration	Monitor	Acer			Y	
1	GI and General Surgery		Registration	Monitor	Acer			Y	
1	GI and General Surgery		Registration	Monitor	Acer			Y	
1	GI and General Surgery		Registration	Phone	Avaya			Y	
1	GI and General Surgery		Registration	Phone	Avaya			Y	
1	GI and General Surgery		Registration	PC	HP		1KBCAPC02	Y	Rogue
1	GI and General Surgery		Registration	Printer	HP	Laserjet P4014dn	LP0223	Y	
1	GI and General Surgery		Registration	Copier	Ricoh	IM550	14494778	Y	
1	GI and General Surgery		Registration	WOW: PC/Monitor	JACO (Centrak #T00655538):	Ultra Series	WOW JC65447: AMBAX01MG01K041	Y	
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBAD03MG01KNSB	Y	
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBCD02MG01KREG	Y	
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBAD04MG01K074	Y	
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBAD01MG01K074	Y	
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBAD05MG01K074	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Fr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBAD03MG01K074	Y	
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBAD02MG01K074	Y	
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBAD01MG01K046	Y	
1	GI and General Surgery		Registration Area B	Monitor	Lenovo			Y	Telehealth
1	GI and General Surgery		Registration Area B	Phone	Avaya			Y	
1	GI and General Surgery		Registration Area B	PC	Lenovo		AMBAD02MG01K043	Y	
1	GI and General Surgery		Registration Area B	Monitor	Lenovo			Y	
1	GI and General Surgery		Registration Area B	Phone	Avaya			Y	
1	GI and General Surgery		Registration Area B	Monitor	Acer			Y	
1	GI and General Surgery		Registration Area B	Monitor	Acer			Y	
1	GI and General Surgery		Registration Area B	Monitor	Acer			Y	
1	GI and General Surgery		Registration Area B	Monitor	Acer			Y	
1	GI and General Surgery		Registration Area B	Monitor	Acer			Y	
1	GI and General Surgery		Registration Area B	Monitor	Acer			Y	
1	GI and General Surgery		Registration Area B	Monitor	Lenovo			Y	Telehealth
1	GI and General Surgery		Registration Area B	Phone	Avaya			Y	
1	GI and General Surgery		Registration Area B	Phone	Avaya			Y	
1	GI and General Surgery		Registration Area B	Phone	Avaya			Y	
1	GI and General Surgery		Registration Area B	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
1	GI and General Surgery		Registration Area B	Phone	Avaya			Y	
1	GI and General Surgery		Registration Area B	Label Printer	Zebra	GK420D		Y	
3	ENT	3J043	Registration	PC	Lenovo		AMBCD01MG03J002	Y	
3	ENT	3J043	Registration	PC	Lenovo		AMBCD01MG03J001	Y	
3	ENT	3J043	Registration	Monitor	Acer			Y	
3	ENT	3J043	Registration	Monitor	Acer			Y	
3	ENT	3J043	Registration	Phone	Avaya			Y	
3	ENT	3J043	Registration	Phone	Avaya			Y	
3	ENT	3J043	Registration	Scanner	Fujitsu	Fi6130		Y	
3	ENT	3J043	Registration	eSignature Pad	Topaz			Y	
3	ENT	3J043	Registration	eSignature Pad	Topaz			Y	
3	ENT	3J043	Registration	PC	Lenovo		BCAMG03J01	Y	Downtime PC
3	ENT	3J043	Registration	Printer	HP	Laser Jet	LP0447	Y	
3	ENT	3J006	Treatment 1	Printer/Copier	Ricoh	IM600 SRF	14494760	Y	
3	ENT	3J006	Treatment 1	PC	Lenovo		AMBCD03MG03J006	Y	
3	ENT	3J006	Treatment 1	PC	Lenovo		AMBAD03MG03J006	Y	
3	ENT	3J006	Treatment 1	PC	Lenovo		AMBAD02MG03J006	Y	
3	ENT	3J006	Treatment 1	PC	Lenovo		AMBAD01MG03J006	Y	
3	ENT	3J006	Treatment 1	Monitor	Lenovo			Y	
3	ENT	3J006	Treatment 1	Monitor	Lenovo			Y	
3	ENT	3J006	Treatment 1	Monitor	Acer			Y	
3	ENT	3J006	Treatment 1	Monitor	Acer			Y	
3	ENT	3J006	Treatment 1	Monitor	Acer			Y	
3	ENT	3J006	Treatment 1	Monitor	Acer			Y	
3	ENT	3J006	Treatment 1	Phone	Avaya			Y	
3	ENT	3J006	Treatment 1	Phone	Avaya			Y	
3	ENT	3J006	Treatment 1	Phone	Avaya			Y	
3	ENT	3J006	Treatment 1	Sound Bar				Y	
3	ENT	3J006	Treatment 1	WOW: PC/Monitor/Barcode Reader	JACO (Centrak #T00637808); Lenovo/Dell/Symbol	Ultra Series	WOW JC67277	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT	3J006	Treatment 1	WOW: PC/Monitor/Barcode Reader	JACO (Centrak #T00638456): Lenovo/Dell/Symbol	Ultra Series	WOW JC67368	Y	
3	ENT	3J005	Exam 2 /	PC	Lenovo		AMBCD01MG03J005	Y	Epic Workstation
3	ENT	3J005	Exam 2 /	Monitor	Acer			Y	
3	ENT	3J005	Exam 2 / Discharge Room	Phone	Avaya			Y	
3	ENT	3J005	Exam 2 /	eSignature Pad	Topaz			Y	
3	ENT	3J005	Exam 2 /	Printer	HP	Laser Jet	LP0446	Y	
3	ENT	3J004	Exam 3	PC	Lenovo		AMBAD01MG03J004	Y	
3	ENT	3J004	Exam 3	Monitor	Lenovo			Y	Telehealth
3	ENT	3J004	Exam 3	Phone	Avaya			Y	
3	ENT	3J004	Exam 3	eSignature Pad	Topaz			Y	
3	ENT	3J003	Exam 4	PC	Lenovo		AMBAD01MG03J003	Y	
3	ENT	3J003	Exam 4	Monitor	Acer			Y	
3	ENT	3J003	Exam 4	Phone	Avaya			Y	
3	ENT	3J003	Exam 4	eSignature Pad	Topaz			Y	
3	ENT	3J002	Exam 5	PC	Lenovo		AMBCD01MG03J002	Y	
3	ENT	3J002	Exam 5	Monitor	Acer			Y	
3	ENT	3J002	Exam 5	Phone	Avaya			Y	
3	ENT	3J002	Exam 5	eSignature Pad	Topaz			Y	
3	ENT	3J037	Patient Education	PC	Lenovo		Unknown	Y	
3	ENT	3J037	Patient Education	Monitor	Lenovo			Y	Telehealth
3	ENT	3J037	Patient Education	Phone	Avaya			Y	
3	ENT	3J037	Patient Education	eSignature Pad	Topaz			Y	
3	ENT	3J044	Triage / Telemedicine	PC	Lenovo		Unknown	Y	
3	ENT	3J044	Triage / Telemedicine	Monitor	Lenovo			Y	Telehealth
3	ENT	3J044	Triage / Telemedicine	Monitor	Acer			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT	3J044	Triage / Telemedicine	Phone	Avaya			Y	
3	ENT	3J001	Treatment 6	PC	Lenovo		Unknown	Y	
3	ENT	3J001	Treatment 6	Monitor	Acer			Y	
3	ENT	3J001	Treatment 6	Phone	Avaya			Y	
3	ENT	3J001	Treatment 6	eSignature Pad	Topaz			Y	
3	ENT	3J018	Office	PC	Lenovo		Unknown	Y	
3	ENT	3J018	Office	Monitor	Acer			Y	
3	ENT	3J018	Office	Phone	Avaya			Y	
3	ENT	3J024	Supply	Temp Monitor	Centrax		T01363102	Y	
3	ENT	3J048	Conference /	PC	Lenovo		AMBAD03MG03J048	Y	
3	ENT	3J048	Conference /	PC	Lenovo		AMBAD01MG03J048	Y	
3	ENT	3J048	Conference / Library	PC	Lenovo		Unknown	Y	
3	ENT	3J048	Conference / Library	Monitor	Acer			Y	
3	ENT	3J048	Conference / Library	Monitor	Acer			Y	
3	ENT	3J048	Conference /	Monitor	Acer			Y	
3	ENT	3J048	Conference /	Phone	Avaya			Y	
3	ENT	3J048	Conference /	Scanner	Fujitsu	FI6130		Y	
3	ENT	3J025	Residents	PC	Lenovo		AMBCD01MG03J025	Y	
3	ENT	3J025	Residents	PC	Lenovo		AMBCD03MG03J025	Y	
3	ENT	3J025	Residents	PC	Lenovo		ENDBD01MG03J025	Y	
3	ENT	3J025	Residents	Monitor	Acer			Y	
3	ENT	3J025	Residents	Monitor	Acer			Y	
3	ENT	3J025	Residents	Monitor	Acer			Y	
3	ENT	3J025	Residents	Phone	Avaya			Y	
3	ENT	3J025	Residents	Phone	Avaya			Y	
3	ENT	3J025	Residents	Monitor	Lenovo			Y	
3	ENT	3J025	Residents	Printer	HP	Laser Jet	LP1174	Y	
3	ENT	3J026	Office	PC	Lenovo			Y	Missing
3	ENT	3J026	Office	Monitor	Acer			Y	Missing
3	ENT	3J026	Office	Phone	Avaya			Y	
3	ENT	3J026	Office	Printer	HP	Page Wide		Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT	3J027	Office	PC	Lenovo			Y	
3	ENT	3J027	Office	Monitor	Acer			Y	
3	ENT	3J027	Office	Monitor	Lenovo			Y	Telehealth
3	ENT	3J027	Office	Phone	Avaya			Y	
3	ENT	3J027	Office	Printer	HP	Laser Jet P4014dn	GHSLP3J02601	Y	
3	ENT	3J027	Office	Print/Scanner	HP	Photosmart 6520		Y	
3	ENT & Ophthalmology	3K036	Clinical Trials	PC	Lenovo		AMBAD01MG03K036	Y	
3	ENT & Ophthalmology	3K036	Clinical Trials	PC	Lenovo		AMBAD02MG03K036	Y	
3	ENT & Ophthalmology	3K036	Clinical Trials	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K036	Clinical Trials	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K036	Clinical Trials	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K035	Office	PC	Lenovo		Unknown	Y	
3	ENT & Ophthalmology	3K035	Office	Monitor	Dell			Y	
3	ENT & Ophthalmology	3K035	Office	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K035	Office	Docking Station	Dell			Y	
3	ENT & Ophthalmology	3K035	Office	Scanner	Fujitsu	Scansnap51500		Y	
3	ENT & Ophthalmology	3K035	Office	Printer	HP	M3035SXMFP	21738	Y	
3	ENT & Ophthalmology	3K035	Office	Printer	HP	Laser Jet Pro M402N		Y	
3	ENT & Ophthalmology	3K034	Exam B20	Wall Mount	Jaco			N	
3	ENT & Ophthalmology	3K032	Exam B19	Wall Mount	Jaco			N	





Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT & Ophthalmology	3K032	Exam B19	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	ENT & Ophthalmology	3K032	Exam B19	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K032	Exam B19	PC	Lenovo		AMBAD01MG03K032	Y	
3	ENT & Ophthalmology	3K032	Exam B19	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K031	Exam B18	Wall Mount	Jaco			N	
3	ENT & Ophthalmology	3K031	Exam B18	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	ENT & Ophthalmology	3K031	Exam B18	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K031	Exam B18	PC	Lenovo		AMBAD01MG03K031	Y	
3	ENT & Ophthalmology	3K031	Exam B18	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K028	Exam B17	Wall Mount	Jaco			N	
3	ENT & Ophthalmology	3K028	Exam B17	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	ENT & Ophthalmology	3K028	Exam B17	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K028	Exam B17	PC	Lenovo		AMBAD01MG03K028	Y	
3	ENT & Ophthalmology	3K028	Exam B17	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K027	Exam B16	PC	Lenovo		AMBAD01MG03K027	Y	
3	ENT & Ophthalmology	3K027	Exam B16	Monitor	Lenovo			Y	Telehealth
3	ENT & Ophthalmology	3K027	Exam B16	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K027	Exam B16	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K027	Exam B16	Wall Mount	Jaco			N	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT & Ophthalmology	3K026	Exam B15	PC	Lenovo		AMBAD01MG03K026	Y	
3	ENT & Ophthalmology	3K026	Exam B15	Monitor	Lenovo			Y	Telehealth
3	ENT & Ophthalmology	3K026	Exam B15	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K026	Exam B15	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K026	Exam B15	Wall Mount	Jaco			N	
3	ENT & Ophthalmology	3K025	Exam B14	Wall Mount	Jaco			N	
3	ENT & Ophthalmology	3K025	Exam B14	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	ENT & Ophthalmology	3K025	Exam B14	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K025	Exam B14	PC	Lenovo		AMBAD01MG03K025	Y	
3	ENT & Ophthalmology	3K025	Exam B14	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K024	Exam B13	PC	Lenovo			Y	
3	ENT & Ophthalmology	3K024	Exam B13	Monitor	Lenovo			Y	Telehealth
3	ENT & Ophthalmology	3K024	Exam B13	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K024	Exam B13	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K024	Exam B13	Wall Mount	Jaco			N	
3	ENT & Ophthalmology	3K033	Exam B20	Wall Mount	Jaco			N	
3	ENT & Ophthalmology	3K033	Exam B20	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	ENT & Ophthalmology	3K033	Exam B20	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	ENT & Ophthalmology	3K033	Exam B20	PC	Lenovo		AMBAD01MG03K033	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT & Ophthalmology	3K033	Exam B20	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K034	Exam B21	PC	Lenovo		AMBAD01MG03K034	Y	
3	ENT & Ophthalmology	3K034	Exam B21	Monitor	Lenovo			Y	Telehealth
3	ENT & Ophthalmology	3K034	Exam B21	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	ENT & Ophthalmology	3K034	Exam B21	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K034	Exam B21	Wall Mount	Jaco			N	
3	ENT & Ophthalmology		Corridor	WOW: PC/Monitor/eSignature Pad	JACO: Lenovo/Acer/To	Ultra Series	WOW JC67694: AMBAX01MG03K001	Y	
3	ENT & Ophthalmology		Corridor	WOW: PC/Monitor/eSignature Pad	JACO (Centrak #T02043663):	Ultra Series	WOW: AMBAX03MG03K001	Y	
3	ENT & Ophthalmology		Corridor	WOW: PC/Monitor/eSignature Pad	JACO (Centrak #T00631045):	Ultra Series	WOW JC67768: AMBAX02MG03K001	Y	
3	ENT & Ophthalmology		Corridor	WOW: PC/Monitor/eSignature Pad	JACO: Lenovo/Acer/To	Ultra Series	Unknown	Y	
3	ENT & Ophthalmology		Pod 4	PC	Lenovo		AMBAD01MG03K345	Y	
3	ENT & Ophthalmology		Pod 4	PC	Lenovo		AMBAD02MG03K345	Y	
3	ENT & Ophthalmology		Pod 4	PC	Lenovo		AMBAD04MG03K345	Y	
3	ENT & Ophthalmology		Pod 4	PC	Lenovo		AMBAD03MG03K345	Y	
3	ENT & Ophthalmology		Pod 4	Monitor	Acer			Y	
3	ENT & Ophthalmology		Pod 4	Monitor	Acer			Y	
3	ENT & Ophthalmology		Pod 4	Monitor	Acer			Y	
3	ENT & Ophthalmology		Pod 4	Monitor	Acer			Y	
3	ENT & Ophthalmology		Pod 4	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT & Ophthalmology		Pod 4	Phone	Avaya			Y	
3	ENT & Ophthalmology		Pod 4	Printer	HP	Laser Jet Enterprise	GHSLP3K00345	Y	
3	ENT & Ophthalmology		Pod 2	PC	Lenovo		AMBAD01MG03K319	Y	
3	ENT & Ophthalmology		Pod 2	PC	Lenovo		AMBAD02MG03K319	Y	
3	ENT & Ophthalmology		Pod 2	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology		Pod 2	Monitor	Lenovo			Y	
3	ENT & Ophthalmology		Pod 2	Phone	Avaya			Y	
3	ENT & Ophthalmology		Pod 2	Phone	Avaya			Y	
3	ENT & Ophthalmology		Pod 2	Printer	HP	Laser Jet 600 M601	GHSLP03K00901	Y	
3	ENT & Ophthalmology	3K021	Supervisors Office	PC	Lenovo		AMBCD02MG03K351	Y	
3	ENT & Ophthalmology	3K021	Supervisors Office	PC	Lenovo		AMBBD01MG03K066	Y	
3	ENT & Ophthalmology	3K021	Supervisors Office	Monitor	Acer			Y	
3	ENT & Ophthalmology	3K021	Supervisors Office	Monitor	Lenovo			Y	Telehealth
3	ENT & Ophthalmology	3K021	Supervisors Office	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K021	Supervisors Office	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K021	Supervisors Office	Printer	HP	Laser Jet P4014dn	GHSLP3K032	Y	
3	ENT & Ophthalmology	3K018	Procedure	Wall Phone	Avaya			Y	
3	ENT & Ophthalmology	3K018	Procedure	Temp Monitor	Centrak		T01268391	Y	
3	ENT & Ophthalmology	3K018	Procedure	PC	Lenovo		AMBAD01MG03K018	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT & Ophthalmology	3K018	Procedure	Monitor	Acer	V206HQL		Y	
3	ENT & Ophthalmology	3K018	Procedure	eSignature Pad	Topaz			Y	
3	ENT & Ophthalmology	3K048	Office	PC	Lenovo		AMBBL43MG03L301	Y	
3	ENT & Ophthalmology	3K048	Office	Monitor	Acer	V246HQL		Y	
3	ENT & Ophthalmology	3K048	Office	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K048	Office	Docking Station	Lenovo			Y	
3	ENT & Ophthalmology	3K048	Office	Laptop	Lenovo	Think Pad Pro		Y	
3	ENT & Ophthalmology	3K048	Office	Monitor	Lenovo	20"		Y	
3	ENT & Ophthalmology	3K048	Office	Printer	HP	Laser Jet 500 Color M551		Y	
3	ENT & Ophthalmology	3K048	Office	Speakers				Y	
3	ENT & Ophthalmology	3K043	Staff	PC	Lenovo		AMBAD02MG03K009	Y	
3	ENT & Ophthalmology	3K043	Staff	PC	Lenovo		AMBAD02MG03K043	Y	
3	ENT & Ophthalmology	3K043	Staff	Monitor	Lenovo			Y	Dual Monitor Config
3	ENT & Ophthalmology	3K043	Staff	Monitor	Lenovo			Y	Dual Monitor Config
3	ENT & Ophthalmology	3K043	Staff	Monitor	Lenovo			Y	Dual Monitor Config
3	ENT & Ophthalmology	3K043	Staff	Monitor	Lenovo			Y	Dual Monitor Config
3	ENT & Ophthalmology	3K043	Staff	Printer	HP	Laser Jet P4014dn	LP1161	Y	
3	ENT & Ophthalmology		Staff Corridor	Printer/Copier	Ricoh	IM600 SRF	14494632	Y	
3	ENT & Ophthalmology		Check IN / OUT	Video Check Out	Avaya	Vantage		Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT & Ophthalmology		Check IN / OUT	Video Check Out	Avaya	Vantage		Y	
3	ENT & Ophthalmology		Check IN / OUT	Video Check Out	Avaya	Vantage		Y	
3	ENT & Ophthalmology		Check IN / OUT	Video Check Out	Avaya	Vantage		Y	
3	ENT & Ophthalmology		Check IN / OUT	PC	Lenovo		AMBCD02MG03K301	Y	
3	ENT & Ophthalmology		Check IN / OUT	Monitor	Acer		AMBCD01MG03K301	Y	
3	ENT & Ophthalmology		Check IN / OUT	Phone	Avaya			Y	
3	ENT & Ophthalmology		Check IN / OUT	PC	Lenovo		Unknown	Y	
3	ENT & Ophthalmology		Check IN / OUT	PC	Lenovo		Unknown	Y	
3	ENT & Ophthalmology		Check IN / OUT	PC	Lenovo		Unknown	Y	
3	ENT & Ophthalmology		Check IN / OUT	Monitor	Acer			Y	
3	ENT & Ophthalmology		Check IN / OUT	Monitor	Acer			Y	
3	ENT & Ophthalmology		Check IN / OUT	Monitor	Acer			Y	
3	ENT & Ophthalmology		Check IN / OUT	Phone	Avaya			Y	
3	ENT & Ophthalmology		Check IN / OUT	Phone	Avaya			Y	
3	ENT & Ophthalmology		Check IN / OUT	Phone	Avaya			Y	
3	ENT & Ophthalmology		Check IN / OUT	POS	CC Swipe			Y	
3	ENT & Ophthalmology		Check IN / OUT	POS	CC Swipe			Y	
3	ENT & Ophthalmology		Check IN / OUT	POS	CC Swipe			Y	
3	ENT & Ophthalmology		Check IN / OUT	Scanner	Fujitsu			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT & Ophthalmology		Check IN / OUT	Scanner	Fujitsu			Y	
3	ENT & Ophthalmology		Check IN / OUT	Scanner	Fujitsu			Y	
3	ENT & Ophthalmology		Check IN / OUT	PC	Dell		3KBCAPC01	Y	Downtime PC
3	ENT & Ophthalmology		Check IN / OUT	Camera	Right Patient			Y	Connected to PC for Patient Chart Photos
3	ENT & Ophthalmology		Check IN / OUT	Camera	Right Patient			Y	Connected to PC for Patient Chart Photos
3	ENT & Ophthalmology		Check IN / OUT	Camera	Right Patient			Y	Connected to PC for Patient Chart Photos
3	ENT & Ophthalmology		Check IN / OUT	Printer	HP	Laser Jet Enterprise	GHSLP3K30101	Y	
3	ENT & Ophthalmology	3K057	Diagnostic 3	PC	Lenovo		AMBAD04MG03K002	Y	
3	ENT & Ophthalmology	3K057	Diagnostic 3	Monitor	HP	L1950G		Y	
3	ENT & Ophthalmology	3K057	Diagnostic 3	Scanner	Fujitsu	FI6130Z		Y	
3	ENT & Ophthalmology	3K064	Visual Field 1	Wall Mount	Ergotron			N	
3	ENT & Ophthalmology	3K064	Visual Field 1	PC	Lenovo		AMBAD01MG03K064	Y	
3	ENT & Ophthalmology	3K064	Visual Field 1	Monitor	Acer			Y	
3	ENT & Ophthalmology	3K064	Visual Field 1	Wall Phone	Avaya			Y	
3	ENT & Ophthalmology	3K065	Visual Field 2	Wall Mount	Ergotron			N	
3	ENT & Ophthalmology	3K065	Visual Field 2	PC	Lenovo		AMBAD01MG03K065	Y	
3	ENT & Ophthalmology	3K065	Visual Field 2	Monitor	Acer			Y	
3	ENT & Ophthalmology	3K065	Visual Field 2	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K062	Diagnostic 2	Printer	HP	Laser Jet P4014dn		Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	ENT & Ophthalmology	3K062	Diagnostic 2	Phone	Avaya			Y	
3	ENT & Ophthalmology	3K061	Laser Room	PC	Lenovo		AMBAD01MG03K061	Y	
3	ENT & Ophthalmology	3K061	Laser Room	Monitor	Acer			Y	
3	ENT & Ophthalmology	3K061	Laser Room	Wall Mount	Ergotron			N	
3	ENT & Ophthalmology	3K061	Laser Room	eSignature Pad	Topaz			Y	
3	Eye Clinic	3K040	Exam A1	Wall Mount	Jaco			N	
3	Eye Clinic	3K040	Exam A1	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K040	Exam A1	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K040	Exam A1	PC	Lenovo		AMBAD02MG03K307	Y	
3	Eye Clinic	3K040	Exam A1	Phone	Avaya			Y	
3	Eye Clinic	3K041	Exam A2	Wall Mount	Jaco			N	
3	Eye Clinic	3K041	Exam A2	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K041	Exam A2	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K041	Exam A2	PC	Lenovo		AMBAD01MG03K308	Y	
3	Eye Clinic	3K041	Exam A2	Phone	Avaya			Y	
3	Eye Clinic	3K042	Exam A3	PC	Lenovo		AMBAD01MG03K309	Y	
3	Eye Clinic	3K042	Exam A3	Monitor	Lenovo			Y	Telehealth
3	Eye Clinic	3K042	Exam A3	Monitor	Acer			Y	
3	Eye Clinic	3K042	Exam A3	Phone	Avaya			Y	
3	Eye Clinic	3K042	Exam A3	Wall Mount	Jaco			N	
3	Eye Clinic	3K005	Exam A4	Wall Mount	Jaco			N	
3	Eye Clinic	3K005	Exam A4	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K005	Exam A4	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K005	Exam A4	PC	Lenovo		AMBAD01MG03K310	Y	
3	Eye Clinic	3K005	Exam A4	Phone	Avaya			Y	
3	Eye Clinic	3K006	Exam A5	Wall Mount	Jaco			N	
3	Eye Clinic	3K006	Exam A5	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K006	Exam A5	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K006	Exam A5	PC	Lenovo		AMBAD01MG03K311	Y	
3	Eye Clinic	3K006	Exam A5	Phone	Avaya			Y	
3	Eye Clinic	3K007	Exam A6	Wall Mount	Jaco			N	
3	Eye Clinic	3K007	Exam A6	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K007	Exam A6	Monitor	Acer	V246HQL		Y	Dual Monitor Config





Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	Eye Clinic	3K007	Exam A6	PC	Lenovo		AMBAD01MG03K312	Y	
3	Eye Clinic	3K007	Exam A6	Phone	Avaya			Y	
3	Eye Clinic	3K008	Exam A7	Wall Mount	Jaco			N	
3	Eye Clinic	3K008	Exam A7	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K008	Exam A7	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K008	Exam A7	PC	Lenovo		AMBAD01MG03K323	Y	
3	Eye Clinic	3K008	Exam A7	Phone	Avaya			Y	
3	Eye Clinic	3K011	Exam A8	Wall Mount	Jaco			N	
3	Eye Clinic	3K011	Exam A8	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K011	Exam A8	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K011	Exam A8	PC	Lenovo		AMBAD01MG03K011	Y	
3	Eye Clinic	3K011	Exam A8	Phone	Avaya			Y	
3	Eye Clinic	3K012	Exam A9	Wall Mount	Jaco			N	
3	Eye Clinic	3K012	Exam A9	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K012	Exam A9	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K012	Exam A9	PC	Lenovo		AMBAD01MG03K012	Y	
3	Eye Clinic	3K012	Exam A9	Phone	Avaya			Y	
3	Eye Clinic	3K013	Exam A10	Wall Mount	Jaco			N	
3	Eye Clinic	3K013	Exam A10	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K013	Exam A10	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K013	Exam A10	PC	Lenovo		AMBAD01MG03K013	Y	
3	Eye Clinic	3K013	Exam A10	Phone	Avaya			Y	
3	Eye Clinic	3K014	Exam A11	Wall Mount	Jaco			N	
3	Eye Clinic	3K014	Exam A11	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K014	Exam A11	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K014	Exam A11	PC	Lenovo		AMBAD02MG03K014	Y	
3	Eye Clinic	3K014	Exam A11	Phone	Avaya			Y	
3	Eye Clinic	3K015	Exam A12	Wall Mount	Jaco			N	
3	Eye Clinic	3K015	Exam A12	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K015	Exam A12	Monitor	Acer	V246HQL		Y	Dual Monitor Config
3	Eye Clinic	3K015	Exam A12	PC	Lenovo		AMBAD02MG03K015	Y	
3	Eye Clinic	3K015	Exam A12	Phone	Avaya			Y	
3	Ortho		Financial Counseling	PC	Lenovo		FICCD01MG03L003	Y	
3	Ortho		Financial Counseling	Monitor	Acer			Y	
3	Ortho		Financial Counseling	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	Ortho		Financial Counseling	Printer	HP	Laserjet P4014dn	GHSLP3L00301	Y	
3	Ortho		Financial Counseling	eSignature Pad	Topaz			Y	
3	Ortho		Financial Counseling	Scanner	Fujitsu	FI-7160		Y	
3	Ortho		Financial Counseling	POS	Magtek KP & CC	Swipe on Monitor		Y	
3	Ortho		Financial Counseling	Soundbar				Y	
3	Ortho		Social Worker	PC	Lenovo		SSABD01MG03L002	Y	
3	Ortho		Social Worker	Monitor	Acer			Y	
3	Ortho		Social Worker	Phone	Avaya			Y	
3	Ortho		Social Worker	Printer	HP	Laserjet P4014dn	0501	Y	
3	Ortho		Check In/Registration	Printer/Copier	Ricoh	IM600 SRF	14494858	Y	
3	Ortho		Check In/Registration	PC	Lenovo		AMBCD03MG03L001	Y	
3	Ortho		Check In/Registration	PC	Lenovo		AMBCD03MG03L001	Y	
3	Ortho		Check In/Registration	PC	Lenovo		AMBCD03MG03L001	Y	
3	Ortho		Check In/Registration	Monitor	Acer			Y	
3	Ortho		Check In/Registration	Monitor	Acer			Y	
3	Ortho		Check In/Registration	Monitor	Acer			Y	
3	Ortho		Check In/Registration	Phone	Avaya			Y	
3	Ortho		Check In/Registration	Phone	Avaya			Y	
3	Ortho		Check In/Registration	Phone	Avaya			Y	
3	Ortho		Check In/Registration	eSignature Pad	Topaz			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	Ortho		Check In/Registration	eSignature Pad	Topaz			Y	
3	Ortho		Check In/Registration	eSignature Pad	Topaz			Y	
3	Ortho		Check In/Registration	POS	CC Swipe			Y	
3	Ortho		Check In/Registration	POS	CC Swipe			Y	
3	Ortho		Check In/Registration	POS	CC Swipe			Y	
3	Ortho		Check In/Registration	Printer	HP	Laserjet Enterprise M604	LP0950	Y	
3	Ortho		Check In/Registration	Printer	HP	Laserjet Enterprise M604	LP0999	Y	
3	Ortho		Check In/Registration	Scanner	Fujitsu	FI-7160		Y	
3	Ortho		Check In/Registration	Scanner	Fujitsu	FI-7160		Y	
3	Ortho		Check In/Registration	Speakers	Dell			Y	
3	Ortho	3L015	Exam 5	PC	Lenovo		AMBAD01MG03L015	Y	
3	Ortho	3L015	Exam 5	Monitor	Acer			Y	
3	Ortho	3L015	Exam 5	Phone	Avaya			Y	
3	Ortho	3L015	Exam 5	eSignature Pad	Topaz			Y	
3	Ortho	3L014	Exam 6	PC	Lenovo		AMBAD01MG03L014	Y	
3	Ortho	3L014	Exam 6	Monitor	Acer			Y	
3	Ortho	3L014	Exam 6	Monitor	Lenovo			Y	Telehealth
3	Ortho	3L014	Exam 6	Phone	Avaya			Y	
3	Ortho	3L014	Exam 6	eSignature Pad	Topaz			Y	
3	Ortho	3L012	Exam 13	PC	Lenovo		AMBAD02MG03L012	Y	
3	Ortho	3L012	Exam 13	Monitor	Acer			Y	
3	Ortho	3L012	Exam 13	Phone	Avaya			Y	
3	Ortho	3L012	Exam 13	eSignature Pad	Topaz			Y	
3	Ortho		Corridor	WOW: PC/Monitor/Barcode Reader/eSignature Pad	JACO: Lenovo/Acer/Symbol/Topaz		DEMO-00407 / AMBAX01MG03LNSF	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	Ortho	3L038	Work Room	PC	Lenovo		AMBCD01MG03L012	Y	
3	Ortho	3L038	Work Room	PC	Lenovo		AMBAD01MG03L038	Y	
3	Ortho	3L038	Work Room	Monitor	Acer			Y	
3	Ortho	3L038	Work Room	Phone	Avaya			Y	
3	Ortho	3L038	Work Room	Printer	HP	Laserjet P4014dn	GHSLP3L01201	Y	
3	Ortho	3L034	Work Room	PC	Lenovo		AMBAD08MG03E034	Y	
3	Ortho	3L034	Work Room	PC	Lenovo		AMBAD06MG03L034	Y	
3	Ortho	3L034	Work Room	PC	Lenovo		AMBAD01MG03L034	Y	
3	Ortho	3L034	Work Room	PC	Lenovo		ACPAD09MG03L034	Y	
3	Ortho	3L034	Work Room	PC	Lenovo		AMBAD07MG03L034	Y	
3	Ortho	3L034	Work Room	Monitor	Acer			Y	
3	Ortho	3L034	Work Room	Monitor	Acer			Y	
3	Ortho	3L034	Work Room	Monitor	Acer			Y	
3	Ortho	3L034	Work Room	Monitor	Acer			Y	
3	Ortho	3L034	Work Room	Monitor	Acer			Y	
3	Ortho	3L034	Work Room	Phone	Avaya			Y	
3	Ortho	3L034	Work Room	Phone	Avaya			Y	
3	Ortho	3L034	Work Room	Phone	Avaya			Y	
3	Ortho	3L034	Work Room	Printer	HP	Laserjet P4014dn	LP1089	Y	
3	Ortho	3L034	Work Room	Printer	HP	Laserjet P4014dn	LP1088	Y	
3	Ortho	3L008	Cast Room	PC	Lenovo		AMBAD02MG03L008	Y	
3	Ortho	3L008	Cast Room	PC	Lenovo		AMBAD01MG03L008	Y	
3	Ortho	3L008	Cast Room	Monitor	Acer			Y	
3	Ortho	3L008	Cast Room	Monitor	Acer			Y	
3	Ortho	3L008	Cast Room	Phone	Avaya			Y	
3	Ortho	3L008	Cast Room	eSignature Pad	Topaz			Y	
3	Ortho	3L031	Exam 10	PC	Lenovo		AMBAD02MG03L031	Y	
3	Ortho	3L031	Exam 10	Monitor	Acer			Y	
3	Ortho	3L031	Exam 10	Monitor	Lenovo			Y	Telehealth
3	Ortho	3L031	Exam 10	Phone	Avaya			Y	
3	Ortho	3L031	Exam 10	eSignature Pad	Topaz			Y	
3	Ortho	3L005	Exam 8	PC	Lenovo		AMBCD02MG03L005	Y	
3	Ortho	3L005	Exam 8	Monitor	Acer			Y	
3	Ortho	3L005	Exam 8	Monitor	Lenovo			Y	Telehealth
3	Ortho	3L005	Exam 8	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	Ortho	3L005	Exam 8	eSignature Pad	Topaz			Y	
3	Ortho		Corridor	WOW: PC/Monitor/Barcode Reader	JACO: (Centrak #T00635801) Lenovo/Acer/Symbol	Ultraseries	No WOW Tag/PC: TELAX23MG05ANSB	Y	
3	Ortho	3L006A	Nursing Supervisor	PC	Lenovo		AMBCD02MG03L005	Y	
3	Ortho	3L006A	Nursing Supervisor	Monitor	Lenovo			Y	Telehealth
3	Ortho	3L006A	Nursing Supervisor	Phone	Avaya			Y	
3	Ortho	3L006A	Nursing Supervisor	Monitor	Acer			Y	
3	Ortho	3L006	Clinic Director	PC	Lenovo		NSBCD01MG08D014	Y	
3	Ortho	3L006	Clinic Director	PC	Lenovo		NSCCD06MG08E020	Y	
3	Ortho	3L006	Clinic Director	Phone	Avaya			Y	
3	Ortho	3L006	Clinic Director	Phone	Avaya			Y	
3	Ortho	3L006	Clinic Director	Monitor	Acer			Y	
3	Ortho	3L006	Clinic Director	Monitor	Acer			Y	
3	Ortho	3L006	Clinic Director	Printer	Samsung	Xpress	C1810W	Y	
3	Ortho	3L003	Work Room	Printer	Lexmark	XM1145	GHSMFP3L003	Y	
3	Ortho	3L003	Work Room	PC	Lenovo		Unknown	Y	
3	Ortho	3L003	Work Room	PC	Lenovo		NEUCD01MG08C114	Y	
3	Ortho	3L003	Work Room	PC	Lenovo		AMBAD01MG03L003	Y	
3	Ortho	3L003	Work Room	PC	Lenovo		AMBAD02MG03L003	Y	
3	Ortho	3L003	Work Room	PC	Lenovo		AMBAD04MG03L003	Y	
3	Ortho	3L003	Work Room	Monitor	Acer			Y	
3	Ortho	3L003	Work Room	Monitor	Acer			Y	
3	Ortho	3L003	Work Room	Monitor	Acer			Y	
3	Ortho	3L003	Work Room	Monitor	Acer			Y	
3	Ortho	3L003	Work Room	Monitor	Acer			Y	
3	Ortho	3L003	Work Room	Phone	Avaya			Y	
3	Ortho	3L003	Work Room	Phone	Avaya			Y	
3	Ortho	3L003	Work Room	Phone	Avaya			Y	
3	Ortho	3L003	Work Room	Phone	Avaya			Y	
3	Ortho	3L003	Work Room	Printer	HP	Laserjet P4014dn	LP0043	Y	
3	Ortho	3L026	Work Room	PC	Lenovo		AMBBD05MG03L026	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	Ortho	3L026	Work Room	PC	Lenovo		AMBBD03MG03L026	Y	
3	Ortho	3L026	Work Room	PC	Lenovo		AMBCD04MG03L026	Y	
3	Ortho	3L026	Work Room	PC	Lenovo		AMBBD02MG03L026	Y	
3	Ortho	3L026	Work Room	PC	Lenovo		AMBCD06MG03L026	Y	
3	Ortho	3L026	Work Room	PC	Lenovo		AMBBD01MG03L026	Y	
3	Ortho	3L026	Work Room	PC	Lenovo		AMBBD04MG03L026	Y	
3	Ortho	3L026	Work Room	Monitor	Acer			Y	
3	Ortho	3L026	Work Room	Monitor	Acer			Y	
3	Ortho	3L026	Work Room	Monitor	Acer			Y	
3	Ortho	3L026	Work Room	Monitor	Acer			Y	
3	Ortho	3L026	Work Room	Monitor	Acer			Y	
3	Ortho	3L026	Work Room	Monitor	Acer			Y	
3	Ortho	3L026	Work Room	Monitor	Acer			Y	
3	Ortho	3L026	Work Room	Phone	Avaya			Y	
3	Ortho	3L026	Work Room	Phone	Avaya			Y	
3	Ortho	3L026	Work Room	Phone	Avaya			Y	
3	Ortho	3L026	Work Room	Phone	Avaya			Y	
3	Ortho	3L026	Work Room	Phone	Avaya			Y	
3	Ortho	3L026	Work Room	Phone	Avaya			Y	
3	Ortho	3L026	Work Room	Printer	HP	LaserJet 600 M601	GHSLP3L02601	Y	
3	Ortho	3L001	Residents	Laptop	Lenovo		Unknown	Y	
3	Ortho	3L001	Residents	PC	Lenovo		AMBAD03MG03L027	Y	Dual Monitor Configuration
3	Ortho	3L001	Residents	PC	Lenovo		AMBCD03MG03L001	Y	Dual Monitor Configuration
3	Ortho	3L001	Residents	PC	Lenovo		AMBAD03MG03L027	Y	Dual Monitor Configuration
3	Ortho	3L001	Residents	PC	Lenovo		AMBCD01MG03L001	Y	Dual Monitor Configuration
3	Ortho	3L001	Residents	Monitor	Dell			Y	
3	Ortho	3L001	Residents	Monitor	Dell			Y	
3	Ortho	3L001	Residents	Monitor	Lenovo			Y	
3	Ortho	3L001	Residents	Monitor	Lenovo			Y	
3	Ortho	3L001	Residents	Monitor	Lenovo			Y	
3	Ortho	3L001	Residents	Monitor	Acer			Y	
3	Ortho	3L001	Residents	Monitor	Acer			Y	
3	Ortho	3L001	Residents	Monitor	Acer			Y	
3	Ortho	3L001	Residents	Monitor	Acer			Y	
3	Ortho	3L001	Residents	Monitor	Acer			Y	
3	Ortho	3L001	Residents	Printer	HP	Laserjet P4014dn		Y	
3	Ortho	3L001	Residents	Phone	Avaya			Y	Telehealth



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
3	Ortho	3L001	Residents	Phone	Avaya			Y	
3	Ortho	3L016	Exam 4	PC	Lenovo		AMBAD01MG03L016	Y	
3	Ortho	3L016	Exam 4	Monitor	Acer			Y	
3	Ortho	3L016	Exam 4	Monitor	Lenovo			Y	Telehealth
3	Ortho	3L016	Exam 4	Phone	Avaya			Y	
3	Ortho	3L016	Exam 4	eSignature Pad	Topaz			Y	
3	Ortho	3L013	Exam 12	PC	Lenovo		AMBAD01MG03L013	Y	
3	Ortho	3L013	Exam 12	Monitor	Acer			Y	
3	Ortho	3L013	Exam 12	Phone	Avaya			Y	
3	Ortho	3L013	Exam 12	eSignature Pad	Topaz			Y	
3	Ortho	3L017	Exam 3	PC	Lenovo		AMBAD01MG03L017	Y	
3	Ortho	3L017	Exam 3	Monitor	Acer			Y	
3	Ortho	3L017	Exam 3	Phone	Avaya			Y	
3	Ortho	3L017	Exam 3	eSignature Pad	Topaz			Y	
3	Ortho	3L035	Exam 7	PC	Lenovo		AMBAD01MG03L035	Y	
3	Ortho	3L035	Exam 7	Monitor	Acer			Y	
3	Ortho	3L035	Exam 7	Phone	Avaya			Y	
3	Ortho	3L035	Exam 7	eSignature Pad	Topaz			Y	
3	Ortho	3L018	Exam 2	PC	Lenovo		AMBAD01MG03L018	Y	
3	Ortho	3L018	Exam 2	Monitor	Acer			Y	
3	Ortho	3L018	Exam 2	Phone	Avaya			Y	
3	Ortho	3L018	Exam 2	eSignature Pad	Topaz			Y	
3	Ortho	3L021	Exam 1	PC	Lenovo		AMBB02MG03L021	Y	
3	Ortho	3L021	Exam 1	Monitor	Acer			Y	
3	Ortho	3L021	Exam 1	Phone	Avaya			Y	
3	Ortho	3L021	Exam 1	eSignature Pad	Topaz			Y	
3	Ortho	3L002	Exam 11	WOW: PC/Monitor/eSignature Pad/Barcode Reader/Phone	JACO: (Centrak #T00633636) Lenovo/Lenovo/ Topaz/Symbol/A vaya	Ultra Series	WOW JC67209: AMBAX03MG03LNSF	Y	
3	Ortho	3L004	Exam 9	PC	Lenovo		Unknown	Y	
3	Ortho	3L004	Exam 9	Monitor	Acer			Y	
3	Ortho	3L004	Exam 9	Phone	Avaya			Y	
3	Ortho	3L004	Exam 9	eSignature Pad	Topaz			Y	
4	Oral Surgery	E388	Check In	PC	Lenovo		BCAMG03E01	Y	
4	Oral Surgery	E388	Check In	Phone	Avaya			Y	
4	Oral Surgery	E388	Check In	PC	Lenovo		AMBB01MG03E388	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
4	Oral Surgery	E388	Check In	Monitor	Acer			Y	
4	Oral Surgery	E388	Check In	POS	CC Reader Swipe			Y	Mtd. On side of monitor
4	Oral Surgery	E388	Check In	Scanner	Fujitsu	F1-61302		Y	
4	Oral Surgery	E388	Check In	Printer	HP	Laserjet P4014dn	LP0435	Y	
4	Oral Surgery	E388	Check In	Speakers				Y	
4	Oral Surgery	E388	Check In	eSignature Pad	Topaz			Y	
4	Oral Surgery	E388	Check In	Copier	Ricoh	IM 600SRF	C*24830228 (SN: C83230436	Y	Wave IT RFID Reader mounted on Side
4	Oral Surgery	E338	Screening Waiting Area	Scanner	Fujitsu	F1-61302		Y	
4	Oral Surgery	E338	Screening Waiting Area	PC	Lenovo		AMB CD01MG03E377	Y	
4	Oral Surgery	E338	Screening Waiting Area	Monitor	Acer			Y	
4	Oral Surgery	E338	Screening Waiting Area	Phone	Avaya			Y	
4	Oral Surgery	E338	Screening Waiting Area	Printer	HP	LaserJet 600 M601	LP0434 (OR 0608)	Y	
4	Oral Surgery	E338	Screening Waiting Area	eSignature Pad	Topaz			Y	
4	Oral Surgery	E338	Screening Waiting Area	Soundbar				Y	
4	Oral Surgery	E377-1	Triage	Phone	Avaya			Y	
4	Oral Surgery	E377-1	Triage	WOW: PC/Monitor/Barcode Reader/eSignature Pad	JACO: Lenovo/Dell/Symbol/ Topaz	Ultra Series	JC67780 / AMBAD01MG03ENSF // 029	Y	
4	Oral Surgery	E376	X-Ray	Printer	HP		ORLLP01MG03E76	Y	
4	Oral Surgery	E376	X-Ray	PC	Lenovo		AMB CD01MG03E376	Y	
4	Oral Surgery	E376	X-Ray	Monitor	Acer			Y	
4	Oral Surgery	E376	X-Ray	Monitor	NEL	EA223WM-BK		Y	
4	Oral Surgery	E376	X-Ray	Phone	Avaya			Y	
4	Oral Surgery	E382	Sedation	PC	Lenovo		AMB AD04MG03E382	Y	
4	Oral Surgery	E382	Sedation	Monitor	Lenovo			Y	Telehealth
4	Oral Surgery	E382	Sedation	Monitor	Acer			Y	
4	Oral Surgery	E384	Surgery	PC	Lenovo		AMB CD02MG03E384	Y	





Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
4	Oral Surgery	E384	Surgery	Monitor	Lenovo			Y	Telehealth
4	Oral Surgery	E384	Surgery	Monitor	Acer			Y	
4	Oral Surgery	E384	Surgery	Phone	Avaya			Y	
4	Oral Surgery	E383	Office	PC	Lenovo		AMBBD01MG03E377	Y	
4	Oral Surgery	E383	Office	PC	Lenovo		RADCD03MG03E383	Y	
4	Oral Surgery	E383	Office	PC	Lenovo		AMBCD12MG03E383	Y	
4	Oral Surgery	E383	Office	PC	Lenovo		AMBCD10MG03E383	Y	
4	Oral Surgery	E383	Office	Monitor	Acer			Y	
4	Oral Surgery	E383	Office	Monitor	Acer			Y	
4	Oral Surgery	E383	Office	Monitor	Acer			Y	
4	Oral Surgery	E383	Office	Monitor	Acer			Y	
4	Oral Surgery	E383	Office	Phone	Avaya			Y	
4	Oral Surgery	E383	Office	Phone	Avaya			Y	
4	Oral Surgery	E383	Office	Phone	Avaya			Y	
4	Oral Surgery	E383	Office	Phone	Avaya			Y	
4	Oral Surgery	E383	Office	Printer	HP	LaserJet 600 M601	GHSLPE38301	Y	
4	Oral Surgery	E381	Clinic Area	Printer	HP	LaserJet 600 M601	AMBLP01MG03E383	Y	
4	Oral Surgery	E381	Clinic Area	Phone	Avaya			Y	
4	Oral Surgery	E381	Clinic Area	Phone	Avaya			Y	
4	Oral Surgery	E381	Clinic Area	Phone	Avaya			Y	
4	Oral Surgery	E381	Clinic Area	Phone	Avaya			Y	
4	Oral Surgery	E381	Clinic Area	Phone	Avaya			Y	
4	Oral Surgery	E381	Clinic Area	eSignature Pad	Topaz			Y	
4	Oral Surgery	E381	Clinic Area	eSignature Pad	Topaz			Y	
4	Oral Surgery	E381	Clinic Area	eSignature Pad	Topaz			Y	
4	Oral Surgery	E381	Clinic Area	eSignature Pad	Topaz			Y	
4	Oral Surgery	E381	Clinic Area	eSignature Pad	Topaz			Y	
4	Oral Surgery	E381	Clinic Area	PC	Lenovo		AMBAX07MG03ENSB	Y	
4	Oral Surgery	E381	Clinic Area	PC	Lenovo		Unknown	Y	
4	Oral Surgery	E381	Clinic Area	PC	Lenovo		Unknown	Y	
4	Oral Surgery	E381	Clinic Area	PC	Lenovo		Unknown	Y	
4	Oral Surgery	E381	Clinic Area	PC	Lenovo		Unknown	Y	
4	Oral Surgery	E381	Clinic Area	PC	Lenovo		Unknown	Y	
4	Oral Surgery	E381	Clinic Area	Speakers				Y	
4	Oral Surgery	E381	Clinic Area	Speakers				Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
4	Oral Surgery	E381	Clinic Area	WOW: PC/Monitor	JACO: (Centrak #T00630266) Lenovo/ Acer	Ultra Series	JC70205 / AMBAX07MG03ENSB	Y	
4	Oral Surgery	E381	Clinic Area	WOW: PC/Monitor/barcode Reader/eSignature Pad	JACO: (Centrak #T00657330) Lenovo/ Acer/ Symbol/Topaz	Ultra Series	JC67204 / ICBAX01MG03E377	Y	
4	Ortho	3L039	Work Room	PC	Lenovo		AMBCD01MG03L012	Y	
4	Rehab	4C001	Rehab Therapy	Wall Phone	Avaya			Y	
4	Rehab	4C002	Outpatient Manager	PC	Lenovo		ROTBDD01MG04C002	Y	
4	Rehab	4C002	Outpatient Manager	Monitor	Acer	V24HQL		Y	
4	Rehab	4C002	Outpatient Manager	Phone	Avaya			Y	
4	Rehab	4C002	Outpatient Manager	Printer	HP	LaserJet P4014dn	LP0597	Y	
4	Rehab	4C002	Outpatient Manager	Laptop	Lenovo	ThinkPad	AMBBDL01MG03J023	Y	
4	Rehab	4C017	ADL/Speech	PC	Lenovo	Think Center	Unknown	Y	
4	Rehab	4C017	ADL/Speech	Monitor	Acer			Y	
4	Rehab	4C017	ADL/Speech	Monitor	Lenovo			Y	Telehealth
4	Rehab	4C017	ADL/Speech	Phone	Avaya			Y	
4	Rehab	4C017	ADL/Speech	Printer	HP	LaserJet P4014dn	GHSLP4C017	Y	
4	Rehab	4C017	ADL/Speech	WOW: PC/Monitor	JACO: Lenovo/Dell	Ultra Series	JC67054 / ROTAX01MG04C017	Y	
4	Rehab	4C022	Speech Pathology	PC	Dell	Optiplex 3050	Unknown	Y	
4	Rehab	4C022	Speech Pathology	Monitor	Dell	24"		Y	
4	Rehab	4C022	Speech Pathology	Speakers	JBL			Y	
4	Rehab	4C022	Speech Pathology	PC	Lenovo		Unknown	Y	
4	Rehab	4C022	Speech Pathology	Monitor	Lenovo			Y	Telehealth



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
4	Rehab	4C022	Speech Pathology	Phone	Avaya			Y	
4	Rehab	4C022	Speech Pathology	Speakers	GearHead			Y	
4	Rehab	4C004	Hand Rehab	PC	Lenovo	MAIP	RPTCD11MG04C007	Y	
4	Rehab	4C004	Hand Rehab	Monitor	Acer	V246HQL		Y	
4	Rehab	4C004	Hand Rehab	Speakers	Dell			Y	
4	Rehab	4C004	Hand Rehab	WOW: PC/Monitor/Soundbar	JACO: Lenovo/Acer	Ultra Series	WOW JC65409: RPTAX02MG04C004	Y	
4	Rehab	4C004	Hand Rehab	WOW: PC/Monitor/Soundbar	JACO: Lenovo/Acer	Ultra Series	WOW JC80791: RPTAX02MG04C004	Y	
4	Rehab	4C004	Hand Rehab	WOW: PC/Monitor/Soundbar	JACO (Centrak #T00897873): Lenovo/Acer	Ultra Series	WOW JC65451: MOBAD03MG04K007	Y	
4	Rehab	4C004	Hand Rehab	WOW: PC/Monitor/Soundbar	JACO: (Centrak #T00629820) Lenovo/Acer	Ultra Series	JC65308 / RPTAX04MG04C016	Y	
4	Rehab	4C004	Hand Rehab	Phone	Avaya			Y	
4	Rehab	4C004	Hand Rehab	Phone	Avaya			Y	
4	Rehab	4C004	Hand Rehab	Phone	Avaya			Y	
4	Rehab	4C004	Hand Rehab	WOW: PC/Monitor	JACO: (Centrak #T00637523) Lenovo/Acer	Ultra Series	JC65100 / RPTAX03MG04C004	Y	
4	Rehab	4C004	Hand Rehab	WOW: PC/Monitor	JACO: (Centrak #T00655733) Lenovo/Acer	Ultra Series	DEMO 00494 / RPTAX02MG04D016	Y	
4	Rehab	4C004	Hand Rehab	Printer	HP	Laserjet P4014dn	LP0488	Y	
4	Rehab	4C003	Check In	Fax	Brother	Telefax 2840	0619	Y	Likely to Stay - Shared
4	Rehab	4C003	Check In	Phone	Avaya			Y	
4	Rehab	4C003	Check In	PC	Lenovo		AMBCD03MG04CREG	Y	
4	Rehab	4C003	Check In	Monitor	Acer			Y	
4	Rehab	4C003	Check In	Phone	Avaya			Y	
4	Rehab	4C003	Check In	Scanner	Fujitsu	F1-6130		Y	
4	Rehab	4C003	Check In	eSignature Pad	Topaz			Y	
4	Rehab	4C003	Check In	PC	Lenovo		ROTCD03MG04C001	Y	
4	Rehab	4C003	Check In	Monitor	Acer			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
4	Rehab	4C003	Check In	Phone	Avaya			Y	
4	Rehab	4C003	Check In	Scanner	Fujitsu	F1-6130		Y	
4	Rehab	4C003	Check In	eSignature Pad	Topaz			Y	
4	Rehab	4C003	Check In	PC	Dell	Optiplex 780	4CBCAPC02	Y	Epic Downtime Workstation
4	Rehab	4C003	Check In	Monitor	Lenovo			Y	
4	Rehab	4C003	Check In	Printer	HP	Laserjet Enterprise M604	LP0490	Y	
4	Rehab	4C003B	Office	Printer	HP	Laserjet P4014dn	LP0486	Y	
4	Rehab	4C003B	Office	Fax	Brother	Intellifax 2020		Y	
4	Rehab	4C003B	Office	PC	Lenovo		SN: MJ05UUXF	Y	
4	Rehab	4C003B	Office	Monitor	Acer	24"		Y	
4	Rehab	4C003B	Office	Monitor	Acer	26"		Y	
4	Rehab	4D007	PT/OT Treatment	Wallphone	Avaya			Y	
4	Rehab	4D007	PT/OT Treatment	Printer	HP	LaserJet P4014dn	LP4D00702	Y	
4	Rehab	4D007	PT/OT Treatment	PC	HP		ROTAD01MG04D007	Y	
4	Rehab	4D007	PT/OT Treatment	Monitor	Acer			Y	
4	Rehab	4D007	PT/OT Treatment	Soundbar				Y	
4	Rehab	4D007	PT/OT Treatment	WOW: PC/Monitor	JACO: (Centrak #T00635205) Lenovo/Acer	Ultra Series	JC65442 / RPTAX02MG04D007	Y	
4	Rehab	4D007	PT/OT Treatment	WOW: PC/Monitor	JACO: Lenovo/Acer	Ultra Series	JC67550 / ROTAX02MG04C017(SN: MJ04MYVF)	Y	
4	Rehab	4D007	PT/OT Treatment	Monitor	Lenovo			Y	Telehealth
4	Rehab	4D007	PT/OT Treatment	Monitor	Acer			Y	
4	Rehab	4D007	PT/OT Treatment	PC	Lenovo		Unknown	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
4	Rehab	4D016/7	Rehab Therapy Gym	PC	Lenovo		RPTCD07MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Monitor	Acer			Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Phone	Avaya			Y	
4	Rehab	4D016/7	Rehab Therapy Gym	PC	Lenovo		RPTCD02MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Monitor	Acer			Y	
4	Rehab	4D016/7	Rehab Therapy Gym	PC	Lenovo		RPTCD03MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Monitor	Acer			Y	
4	Rehab	4D016/7	Rehab Therapy Gym	PC	Lenovo		RPTCD04MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Monitor	Acer			Y	
4	Rehab	4D016/7	Rehab Therapy Gym	PC	Lenovo		RPTCD01MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Monitor	Lenovo			Y	Telehealth
4	Rehab	4D016/7	Rehab Therapy Gym	PC	Lenovo		RPTCD05MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Monitor	Lenovo			Y	Telehealth
4	Rehab	4D016/7	Rehab Therapy Gym	PC	Lenovo		RPTCD06MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Printer	HP	LaserJet P4014dn	LP1063	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	WOW: PC/Monitor	JACO: (Centrak #T00635708) Lenovo/Acer	Ultra Series	JC67072 / RPTAX01MG04DNSF	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	WOW: PC/Monitor	JACO: (Centrak #T00635199) Lenovo/Acer	Ultra Series	JC67772 / RPTAD03MG04DNSB	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
4	Rehab	4D016/7	Rehab Therapy Gym	WOW: PC/Monitor	JACO: Lenovo/Acer	Ultra Series	JC67385 / RPTAX06MG04C017 (Label on PC Device) RPTAW01MG04D006 (Screen Name)	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	WOW: PC/Monitor	JACO: (Centrak #T00637216) Lenovo/Acer	Ultra Series	JC65331 / RPTAX01MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	WOW: PC/Monitor	JACO: (Centrak #T00630519) Lenovo/Acer	Ultra Series	JC65407 / RPTAX09MG04D007	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	WOW: PC/Monitor	JACO: (Centrak #T00634187) Lenovo/Acer	Ultra Series	JC6530 (Last number on label is unreadable) / RHTAD01MG04DPTG	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Wallphone	Avaya			Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Walphone	Avaya			Y	
4	Rehab	4D016/7	Rehab Therapy Gym	PC	Dell	Optiplex 760	RPTCD01MG04D016	Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Monitor	Acer			Y	
4	Rehab	4D016/7	Rehab Therapy Gym	Label Printer	Zebra	GK420D		Y	
6	PAT	6J037	Exam 1	PC	Lenovo		POADD01MG06J037	Y	
6	PAT	6J037	Exam 1	Monitor	Acer			Y	
6	PAT	6J037	Exam 1	Phone	Avaya			Y	
6	PAT	6J037	Exam 1	eSignature Pad	Topaz			Y	
6	PAT	6J036	Exam 2	PC	Lenovo		AMBBD01MG06J601	Y	
6	PAT	6J036	Exam 2	Monitor	Acer			Y	
6	PAT	6J036	Exam 2	Phone	Avaya			Y	
6	PAT	6J036	Exam 2	eSignature Pad	Topaz			Y	
6	PAT	6J046	Exam 3	PC	Lenovo		Unknown	Y	
6	PAT	6J046	Exam 3	Monitor	Acer			Y	
6	PAT	6J046	Exam 3	Phone	Avaya			Y	
6	PAT	6J046	Exam 3	eSignature Pad	Topaz			Y	
6	PAT	6J045	Exam 4	PC	Lenovo		Unknown	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
6	PAT	6J045	Exam 4	Monitor	Acer			Y	
6	PAT	6J045	Exam 4	Phone	Avaya			Y	
6	PAT	6J045	Exam 4	eSignature Pad	Topaz			Y	
6	PAT	6J045	Exam 4	Language Interpreter	LanguageLine Solutions (Centrak #T02043917)		28-GH-PACU6J-3	Y	
6	PAT	6J052	Exam 5	PC	HP		LAPCD06MG06J005	Y	
6	PAT	6J052	Exam 5	Monitor	Acer			Y	
6	PAT	6J052	Exam 5	Phone	Avaya			Y	
6	PAT	6J052	Exam 5	Label Printer	Zebra	GK420D		Y	
6	PAT	6J038	Staff	PC	Lenovo		PERAD03MG06J038	Y	
6	PAT	6J038	Staff	PC	Lenovo		PERAD01MG06J038	Y	
6	PAT	6J038	Staff	PC	Lenovo		TECCD14MG05E101	Y	
6	PAT	6J038	Staff	Monitor	Acer			Y	
6	PAT	6J038	Staff	Monitor	Acer			Y	
6	PAT	6J038	Staff	Monitor	Acer			Y	
6	PAT	6J038	Staff	Phone	Avaya			Y	
6	PAT	6J038	Staff	Phone	Avaya			Y	
6	PAT	6J038	Staff	Label Printer	Zebra	GK420D		Y	
6	PAT	6J038	Staff	Printer/Copier	Ricoh	IM600 SRF	14495324	Y	
6	PAT	6J038	Staff	Printer	HP	Laser Jet P4014dn	LP0655	Y	
6	PAT	6J038	Staff	Printer	Canon	imageRunner 1025iF	2012	Y	
6	PAT	6J038	Staff	WOW: PC/Monitor/Barcode Reader/eSignature Pad	JACO (Centrak #T00635739); Lenovo/Dell/Symbol/Topaz	Ultra Series	WOW JC67434	Y	
6	PAT		Check IN	PC	Lenovo		PERAD01MG06JREG	Y	
6	PAT		Check IN	Monitor	Acer			Y	
6	PAT		Check IN	POS	CC Swipe			Y	
6	PAT		Check IN	Phone	Avaya			Y	
6	PAT		Check IN	Scanner	Fujitsu	FI6130		Y	
6	PAT		Check IN	Speakers				Y	
6	PAT		Check IN	Printer	HP	Laser Jet Enterprise M604	LP0658	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
6	PAT		Check IN	Wireless Paging	HME			Y	
6	PAT		Check IN	Red Phone				Y	
6	PAT		Check IN	eSignature Pad	Topaz			Y	
6	PAT	6J013	Office	PC	Lenovo		PERCD01MG06J013	Y	
6	PAT	6J013	Office	Monitor	HP			Y	
6	PAT	6J013	Office	Scanner	Fujitsu	FI6130	PC1008	Y	
6	PAT	6J013	Office	eSignature Pad	Topaz			Y	
6	PAT	6J013	Office	POS	Magtek			Y	
6	PAT	6J013	Office	Fax	Brother			Y	
6	PAT	6J013	Office	Speaker Bar				Y	
6	PAT	Waiting	Waiting Area	Wall Phone	Avaya			Y	
6	PAT	6J041	Staff	PC	Lenovo		AMBAD06MG06J041	Y	
6	PAT	6J041	Staff	PC	Lenovo		AMBAD05MG06J041	Y	
6	PAT	6J041	Staff	PC	Lenovo		AMBAD01MG06J041	Y	
6	PAT	6J041	Staff	PC	Lenovo		AMBAD02MG06J041	Y	
6	PAT	6J041	Staff	Monitor	Acer			Y	
6	PAT	6J041	Staff	Monitor	Acer			Y	
6	PAT	6J041	Staff	Monitor	Acer			Y	
6	PAT	6J041	Staff	Monitor	Acer			Y	
6	PAT	6J041	Staff	Phone	Avaya			Y	
6	PAT	6J041	Staff	Phone	Avaya			Y	
6	PAT	6J041	Staff	Phone	Avaya			Y	
9	Breast Imaging	9B083	Assessment 2	PC	Lenovo		GCCAD04MG09B046	Y	
9	Breast Imaging	9B083	Assessment 2	Monitor	Acer			Y	
9	Breast Imaging	9B083	Assessment 2	Desk Phone	Avaya			Y	
9	Breast Imaging	9B083	Assessment 2	eSignature Pad	Topaz			Y	
9	Breast Imaging	9B084	Screening 2	Wall Mount	Ergotron			N	
9	Breast Imaging	9B084	Screening 2	PC	Lenovo		GCCAD02MG09B084	Y	
9	Breast Imaging	9B084	Screening 2	Monitor	Acer			Y	
9	Breast Imaging	9B084	Screening 2	Phone	Avaya			Y	
9	Breast Imaging	9B045	Office	PC	Lenovo		RADBD01MG09B045	Y	
9	Breast Imaging	9B045	Office	Monitor	Acer			Y	
9	Breast Imaging	9B045	Office	Phone	Avaya			Y	
9	Breast Imaging	9B045	Office	Wireless Phone	Ascom			Y	
9	Breast Imaging	9B045	Office	USB Headset	Logi			Y	
9	Breast Imaging	9B043	Reading Room	Monitor	HP	HSTND-9681-L		Y	





Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9	Breast Imaging	9B043	Reading Room	Monitor	HP	HSTND-9681-L		Y	
9	Breast Imaging	9B043	Reading Room	Monitor	HP	HSTND-9681-L		Y	
9	Breast Imaging	9B043	Reading Room	Monitor	HP	HSTND-9681-L		Y	
9	Breast Imaging	9B043	Reading Room	Monitor	Image Systems			Y	
9	Breast Imaging	9B043	Reading Room	Monitor	Image Systems			Y	
9	Breast Imaging	9B043	Reading Room	Monitor	Double Black Imaging			Y	
9	Breast Imaging	9B043	Reading Room	Monitor	Double Black Imaging			Y	
9	Breast Imaging	9B043	Reading Room	Monitor	NEC	MultiSync EA244WMi		Y	
9	Breast Imaging	9B043	Reading Room	Monitor	NEC	MultiSync EA244WMi		Y	
9	Breast Imaging	9B043	Reading Room	Monitor	NEC	MultiSync EA244WMi		Y	
9	Breast Imaging	9B043	Reading Room	Monitor	NEC	MultiSync EA244WMi		Y	
9	Breast Imaging	9B043	Reading Room	Monitor	Philips	Ultrawide		Y	
9	Breast Imaging	9B043	Reading Room	Pacs Imaging Controller	Sectra			Y	
9	Breast Imaging	9B043	Reading Room	Pacs Imaging Controller	Sectra			Y	
9	Breast Imaging	9B043	Reading Room	Pacs Imaging Controller	Sectra			Y	
9	Breast Imaging	9B043	Reading Room	Pacs Imaging Controller	Sectra			Y	
9	Breast Imaging	9B043	Reading Room	PC	HP		RADPACSMAMMO5	Y	
9	Breast Imaging	9B043	Reading Room	PC	HP		RADPACSMAMMO2	Y	
9	Breast Imaging	9B043	Reading Room	PC	HP		RADPACSMAMMO3	Y	
9	Breast Imaging	9B043	Reading Room	PC	HP		RADPACSMAMMO4	Y	
9	Breast Imaging	9B043	Reading Room	PC	Lenovo		GCCAD01MG09B043	Y	
9	Breast Imaging	9B043	Reading Room	Phone	Avaya			Y	
9	Breast Imaging	9B043	Reading Room	Phone	Avaya			Y	
9	Breast Imaging	9B043	Reading Room	Phone	Avaya			Y	
9	Breast Imaging	9B043	Reading Room	Printer	HP	LaserJet 94014dn	LP0730	Y	
9	Breast Imaging	9B043	Reading Room	Power Dictation Controller	Nuance			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9	Breast Imaging	9B043	Reading Room	Power Dictation Controller	Nuance			Y	
9	Breast Imaging	9B043	Reading Room	Power Dictation Controller	Nuance			Y	
9	Breast Imaging	9B043	Reading Room	Power Dictation Controller	Nuance			Y	
9	Breast Imaging	9B043A	Reading Room 1	Monitor	HP	HSTND-9681-L		Y	
9	Breast Imaging	9B043A	Reading Room 1	Monitor	NEC	MultiSync EA244Wmi		Y	
9	Breast Imaging	9B043A	Reading Room 1	Monitor	Double Black Imaging			Y	
9	Breast Imaging	9B043A	Reading Room 1	PC	HP		RADPACSMAMMO1	Y	
9	Breast Imaging	9B043A	Reading Room 1	Phone	Avaya			Y	
9	Breast Imaging	9B043A	Reading Room 1	Power Dictation Controller	Nuance			Y	
9	Breast Imaging	9B043A	Reading Room 1	Pacs Imaging Controller	Sectra			Y	
9	Breast Imaging	9B041	Office	PC	Lenovo		NO IT Tag S/N: M920QMTM010RR-SGG000	Y	
9	Breast Imaging	9B041	Office	Monitor	Acer			Y	
9	Breast Imaging	9B041	Office	Phone	Avaya			Y	
9	Breast Imaging	9B041	Office	Printer	HP	LaserJet 94014dn	LP0729	Y	
9	Breast Imaging	9B041	Office	Fax	Canon	FAXPHONE1 70		Y	
9	Breast Imaging	9B041	Office	Mail Inserter	Nedpost	NED-016F	Leased	Y	
9	Breast Imaging	9B042	Assessment 1	PC	Lenovo		RADAD02MG09B042	Y	
9	Breast Imaging	9B042	Assessment 1	Monitor	Acer	V24HQL		Y	
9	Breast Imaging	9B042	Assessment 1	Phone	Avaya			Y	
9	Breast Imaging	9B042	Assessment 1	eSignature Pad	Topaz			Y	
9	Breast Imaging	9B088	Screening 1	Wall Mount	Ergotron			N	
9	Breast Imaging	9B088	Screening 1	PC	Lenovo			Y	PC Mtd. On back of monitor
9	Breast Imaging	9B088	Screening 1	Monitor	Acer			Y	
9	Breast Imaging	9B088	Screening 1	Wall Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9	Breast Imaging		Alcove 1	PC	Lenovo		HOSCD03MG10E005	Y	
9	Breast Imaging		Alcove 1	PC	Lenovo		RADBD01MG09B089	Y	
9	Breast Imaging		Alcove 1	Monitor	Acer			Y	
9	Breast Imaging		Alcove 1	Monitor	Acer			Y	
9	Breast Imaging		Alcove 1	Scanner	Canon	PR-2010C		Y	
9	Breast Imaging		Alcove 1	Printer	HP	LaserJet 600 M601	GHSLP9B08901	Y	
9	Breast Imaging		Alcove 1	Label Printer	Zebra	GK420D		Y	
9	Breast Imaging	9B091	Ultra 2	Wall Mount	Ergotron			N	
9	Breast Imaging	9B091	Ultra 2	PC	Lenovo		RADAD02MG09B091	Y	
9	Breast Imaging	9B091	Ultra 2	Monitor	Acer			Y	
9	Breast Imaging	9B091	Ultra 2	Phone	Avaya			Y	
9	Breast Imaging	9B091	Ultra 2	eSignature Pad	Topaz			Y	
9	Breast Imaging	9B089	Tech Work Area	Imaging PC	Dell	Hologic		Y	Imaging PC under desk
9	Breast Imaging	9B089	Tech Work Area	Imaging PC	Dell	Hologic		Y	Imaging PC under desk
9	Breast Imaging	9B089	Tech Work Area	Imaging Monitor	Dell			Y	
9	Breast Imaging	9B089	Tech Work Area	Monitor	Acer			Y	
9	Breast Imaging	9B089	Tech Work Area	Phone	Avaya			Y	
9	Breast Imaging	9B089	Tech Work Area	PC	Lenovo		RADAD02MG09B089	Y	
9	Breast Imaging	9B089	Tech Work Area	Speakers	Dell			Y	
9	Breast Imaging	9B095	Ultra 1	Wall Mount	Ergotron			N	
9	Breast Imaging	9B095	Ultra 1	Monitor	Acer			Y	
9	Breast Imaging	9B095	Ultra 1	PC	Lenovo		RADAD03MG09B095	Y	
9	Breast Imaging	9B095	Ultra 1	Phone	Avaya			Y	
9	Breast Imaging	9B095	Ultra 1	eSignature Pad	Topaz			Y	
9	Breast Imaging	9B095	Ultra 1	Speakers	Dell			Y	
9	Breast Imaging	9B100	Mammo 1	Wall Mount	ICW			N	
9	Breast Imaging	9B100	Mammo 1	eSignature Pad	Topaz			Y	
9	Breast Imaging	9B100	Mammo 1	Phone	Avaya			Y	
9	Breast Imaging	9B100	Mammo 1	Monitor	Acer			Y	
9	Breast Imaging	9B100	Mammo 1	PC	Lenovo		RADAD01MG09B100	Y	
9	Breast Imaging	9B101	Mammo 2	PC	Lenovo		S/N 1510AAS18B00MJ017NB B	Y	
9	Breast Imaging	9B101	Mammo 2	Monitor	NEC	MultiSync EA241WM		Y	
9	Breast Imaging	9B101	Mammo 2	Phone	Avaya			Y	
9	Breast Imaging	9B101	Mammo 2	eSignature Pad	Topaz			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9	Breast Imaging		Alcove 2	Printer	HP	LaserJet	LP0719	Y	
9	Breast Imaging		Alcove 2	Monitor	Acer	V24HQL		Y	
9	Breast Imaging		Alcove 2	Monitor	Acer	V24HQL		Y	
9	Breast Imaging		Alcove 2	Monitor	Lenovo	20"		Y	
9	Breast Imaging		Alcove 2	Phone	Avaya			Y	
9	Breast Imaging		Alcove 2	Scanner	Canon	DR2010C		Y	
9	Breast Imaging		Alcove 2	PC	Lenovo		RADAD02MG09BNSB	Y	
9	Breast Imaging		Alcove 2	PC	Lenovo		RADAD02MG09BNSF	Y	
9	Breast Imaging		Alcove 2	Speakers	Dell			Y	
9	Breast Imaging		Alcove 2	Speakers	CA			Y	
9	Breast Imaging	9B099	Mammo 3	PC	Lenovo		RADAD02MG09B099	Y	
9	Breast Imaging	9B099	Mammo 3	Monitor	Acer	V24HQL		Y	
9	Breast Imaging	9B099	Mammo 3	Phone	Avaya			Y	
9	Breast Imaging	9B099	Mammo 3	eSignature Pad	Topaz			Y	
9	Infusion	10B050	Patient Education Area	WOW: PC/Monitor/Barcode Reader/RFID Login	JACO (Centrak #T00634967); Lenovo/Acer/Symbol/Imprivata	Ultra Series	WOW JC67389: CIUAX02MG10BNSF	Y	
9	Infusion	10B050	Patient Education Area	WOW: PC/Monitor/Barcode Reader/RFID Login	JACO (Centrak #T00634067); Lenovo/Lenovo/Symbol/Imprivata	Ultra Series	WOW JC85417: GCCAX01MG10BNSF	Y	
9	Infusion		Infusion Bays	Phone	Avaya			Y	
9	Infusion		Infusion Bays	Phone	Avaya			Y	
9	Infusion		Infusion Bays	Phone	Avaya			Y	
9	Infusion		Infusion Bays	Phone	Avaya			Y	
9	Infusion		Infusion Bays	Phone	Avaya			Y	
9	Infusion		Bays 10 & 11	WOW: PC/Monitor/Barcode Reader/RFID Login	JACO (Centrak #T00635796); Lenovo/Acer/Symbol/Imprivata	Ultra Series	WOW JC67338: GCCAX03MG10B048	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9	Infusion		Bays 8 & 9	WOW: PC/Monitor/Barcode Reader/RFID Login	JACO (Centrak #T00897889): Lenovo/Acer/Symbol/Imprivata	Ultra Series	WOW JC67509: AMBAX01MG10B062	Y	
9	Infusion		Bays 12 & 13	PC	Lenovo		GCCAD02MG10B048	Y	
9	Infusion		Bays 12 & 13	Monitor	Acer			Y	
9	Infusion		Bays 12 & 13	Phone	Avaya			Y	
9	Infusion		Bays 12 & 13	Barcode Reader	Symbol			Y	
9	Infusion		Bays 12 & 13	RFID Login	Imprivata			Y	
9	Infusion		Bays 4-7	WOW: PC/Monitor/Barcode Reader/RFID Login	JACO (Centrak #T00632117): Lenovo/Acer/Symbol/Imprivata	Ultra Series	WOW JC67261: GCCAX03MG10B058	Y	
9	Infusion		Bays 1-3	WOW: PC/Monitor/Barcode Reader/RFID Login	JACO (Centrak #T00635305): Lenovo/Acer/Symbol/Imprivata	Ultra Series	WOW JC67390: GCCAX01MG10B058	Y	
9	Infusion		Bay 2	PC	Lenovo		GCCAD03MG10BNSB	Y	
9	Infusion		Bay 2	Monitor	Acer			Y	
9	Infusion		Bay 2	Phone	Avaya			Y	
9	Infusion		Bay 2	Barcode Reader	Symbol			Y	
9	Infusion		Bay 2	Speakers	Micro			Y	
9	Infusion		Bed 2	WOW: PC/Monitor/Barcode Reader/RFID Login	JACO (Centrak #T00636085): Lenovo/Acer/Symbol/Imprivata	Ultra Series	WOW: GCCAX01MG10B052 & GHSWO10BINF01	Y	
9	Infusion		Bay 1	PC	Lenovo		CIUAD01MG10BNSB	Y	
9	Infusion		Bay 1	Monitor	Acer			Y	
9	Infusion		Bay 1	Phone	Avaya			Y	
9	Infusion		Bay 1	Barcode Reader	Symbol			Y	
9	Infusion		Bay 1	Speakers	Micro			Y	
9	Infusion		Nursing Station	PC	Lenovo		GCCAD03MG10BNSB	Y	
9	Infusion		Nursing Station	Monitor	Acer			Y	
9	Infusion		Nursing Station	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9	Infusion		Nursing Station	RFID Login	Imprivata			Y	
9	Infusion	10B097	Bed 1	Language Line Solutions Interpreter	Centrak #T02043836		63-GH-INFU-10B-1	Y	
9	Infusion		Nursing Station	PC	Lenovo		GCCAD01MG10B063	Y	
9	Infusion		Nursing Station	Monitor	Acer			Y	
9	Infusion		Nursing Station	RFID Login	Imprivata			Y	
9	Infusion		Nursing Station	Scanner	Fujitsu	FI-6130		Y	
9	Infusion		Nursing Station	Scanner	Fujitsu	FI-6130		Y	
9	Infusion		Nursing Station	Temp Monitor	Centrax		T01360819	Y	
9	Infusion		Nursing Station	Printer	HP	Laserjet Enterprise M604	0144	Y	
9	Pharmacy	9B032	Pharmacy & Drug Info	Scanner	Fujitsu	FI-7160		Y	
9	Pharmacy	9B032	Pharmacy & Drug Info	PC	Lenovo		RXSBD37MG09B032	Y	
9	Pharmacy	9B032	Pharmacy & Drug Info	Monitor	Acer			Y	
9	Pharmacy	9B032	Pharmacy & Drug Info	Printer	HP	Laserjet P4014dn	GHSLPRX0180	Y	
9	Pharmacy	9B032	Pharmacy & Drug Info	Phone	Avaya			Y	
10	Cancer Clinic	10B055	Exam 1	PC	Lenovo		GCCAD02MG10B055	Y	
10	Cancer Clinic	10B055	Exam 1	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B055	Exam 1	Phone	Avaya			Y	
10	Cancer Clinic	10B055	Exam 1	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B055	Exam 1	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B057	Exam 2	PC	Lenovo		GCCAD02MG10B057	Y	
10	Cancer Clinic	10B057	Exam 2	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B057	Exam 2	Phone	Avaya			Y	
10	Cancer Clinic	10B057	Exam 2	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B057	Exam 2	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B057	Exam 3	PC	Lenovo		Unknown	Y	
10	Cancer Clinic	10B057	Exam 3	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B057	Exam 3	Phone	Avaya			Y	
10	Cancer Clinic	10B057	Exam 3	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B057	Exam 3	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B057	Exam 4	PC	Lenovo		Unknown	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
10	Cancer Clinic	10B057	Exam 4	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B057	Exam 4	Phone	Avaya			Y	
10	Cancer Clinic	10B057	Exam 4	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B057	Exam 4	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B054	Patient Intake	PC	Lenovo		GCCBD01MG10B054	Y	
10	Cancer Clinic	10B054	Patient Intake	PC	Lenovo		GCCBD02MG10B054	Y	
10	Cancer Clinic	10B054	Patient Intake	Monitor	Acer			Y	
10	Cancer Clinic	10B054	Patient Intake	Monitor	Acer			Y	
10	Cancer Clinic	10B054	Patient Intake	Phone	Avaya			Y	
10	Cancer Clinic	10B054	Patient Intake	Sound Bar				Y	
10	Cancer Clinic	10B054	Patient Intake	Sound Bar				Y	
10	Cancer Clinic	10B083	Exam 12	PC	Lenovo		GCCCD01MG10B083	Y	
10	Cancer Clinic	10B083	Exam 12	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B083	Exam 12	Phone	Avaya			Y	
10	Cancer Clinic	10B083	Exam 12	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B081	Exam 11	PC	Lenovo		GCCAD02MG10B081	Y	
10	Cancer Clinic	10B081	Exam 11	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B081	Exam 11	Phone	Avaya			Y	
10	Cancer Clinic	10B081	Exam 11	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B081	Exam 11	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B079	Exam 10	PC	Lenovo		GCCAD02MG10B079	Y	
10	Cancer Clinic	10B079	Exam 10	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B079	Exam 10	Phone	Avaya			Y	
10	Cancer Clinic	10B079	Exam 10	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B079	Exam 10	Sound Bar				Y	
10	Cancer Clinic	10B079	Exam 10	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B078	Exam 9	PC	Lenovo		GCCAD02MG10B078	Y	
10	Cancer Clinic	10B078	Exam 9	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B078	Exam 9	Phone	Avaya			Y	
10	Cancer Clinic	10B078	Exam 9	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B078	Exam 9	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B077	Exam 8	PC	Lenovo		GCCAD02MG10B077	Y	
10	Cancer Clinic	10B077	Exam 8	Monitor	Lenovo			Y	
10	Cancer Clinic	10B077	Exam 8	Phone	Avaya			Y	
10	Cancer Clinic	10B077	Exam 8	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B077	Exam 8	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B057	Exam 4	PC	Lenovo		Unknown	Y	
10	Cancer Clinic	10B057	Exam 4	Monitor	Lenovo			Y	Telehealth



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
10	Cancer Clinic	10B057	Exam 4	Phone	Avaya			Y	
10	Cancer Clinic	10B057	Exam 4	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B057	Exam 4	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B073	Exam 6	PC	Lenovo		GCCAD02MG10B073	Y	
10	Cancer Clinic	10B073	Exam 6	Monitor	Lenovo			Y	
10	Cancer Clinic	10B073	Exam 6	Phone	Avaya			Y	
10	Cancer Clinic	10B073	Exam 6	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B073	Exam 6	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B073	Exam 6	Sound Bar				Y	
10	Cancer Clinic	10B071	Exam 5	PC	Lenovo		GCCCD01MG10B071	Y	
10	Cancer Clinic	10B071	Exam 5	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B071	Exam 5	Phone	Avaya			Y	
10	Cancer Clinic	10B071	Exam 5	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B071	Exam 5	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B071	Exam 5	WOW: PC/Monitor/Barcode Reader/RFID Login	JACO (Centrak #T00646490): Lenovo/Acer/Symbol/Imprivata	Ultra Series	WOW JC85418: GCCAX02MG09BNSF	Y	
10	Cancer Clinic	10B075	Exam Room	PC	Lenovo		GCCAD02MG10B065	Y	
10	Cancer Clinic	10B075	Exam Room	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B075	Exam Room	Phone	Avaya			Y	
10	Cancer Clinic	10B075	Exam Room	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B075	Exam Room	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B065	Exam Room	PC	Lenovo			Y	
10	Cancer Clinic	10B065	Exam Room	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B065	Exam Room	Phone	Avaya			Y	
10	Cancer Clinic	10B065	Exam Room	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B065	Exam Room	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B059	Exam Room	PC	Lenovo			Y	
10	Cancer Clinic	10B059	Exam Room	Monitor	Lenovo			Y	Telehealth
10	Cancer Clinic	10B059	Exam Room	Phone	Avaya			Y	
10	Cancer Clinic	10B059	Exam Room	eSignature Pad	Topaz			Y	
10	Cancer Clinic	10B059	Exam Room	RFID Login	Imprivata			Y	
10	Cancer Clinic	10B069	Staff	Red Phone				Y	
10	Cancer Clinic	10B067	Conference Room	PC	Lenovo		GCCAD01MG10B067	Y	
10	Cancer Clinic	10B067	Conference Room	PC	Lenovo		GCCCD02MG10B067	Y	





Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
10	Cancer Clinic	10B067	Conference Room	PC	Lenovo		GCCAD07MG10B067	Y	
10	Cancer Clinic	10B067	Conference Room	Monitor	Lenovo			Y	
10	Cancer Clinic	10B067	Conference Room	Monitor	Lenovo			Y	
10	Cancer Clinic	10B067	Conference Room	Monitor	Acer			Y	
10	Cancer Clinic	10B067	Conference Room	Monitor	Acer			Y	
10	Cancer Clinic	10B067	Conference Room	Monitor	Acer			Y	
10	Cancer Clinic	10B067	Conference Room	Phone	Avaya			Y	
10	Cancer Clinic	10B067	Conference Room	Phone	Avaya			Y	
10	Cancer Clinic	10B067	Conference Room	Printer	HP	Laserjet P4014dn	LP0805	Y	
10	Cancer Clinic	10B062	Team Work Area	Copier	Ricoh	IM 600SRF	14493410	Y	
10	Cancer Clinic	10B062	Team Work Area	Printer	Lexmark	XM1145		Y	
10	Cancer Clinic	10B062	Team Work Area	Printer	HP	Laserjet P4014dn	GHSLP10806201	Y	
10	Cancer Clinic	10B062	Team Work Area	Printer	HP	Laserjet P4014dn	LP0806	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		GCCBD10MG10B062	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		GCCAD18MG10B062	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		GCCBD05MG10B062	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		GCCBD04MG10B062	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		GCCAD02MG10B062	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		HOSCD03MG10B062	Y	

Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		GCCBD03MG10B062	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		GCCBD08MG10B062	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		GCCAD19MG10B062	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		Unknown	Y	
10	Cancer Clinic	10B062	Team Work Area	PC	Lenovo		Unknown	Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer			Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer			Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer			Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer			Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer			Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer			Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer			Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer			Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer		Unknown	Y	
10	Cancer Clinic	10B062	Team Work Area	Monitor	Acer		Unknown	Y	
10	Cancer Clinic	10B062	Team Work Area	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
10	Cancer Clinic	10B062	Team Work Area	Phone	Avaya			Y	
10	Cancer Clinic	10B062	Team Work Area	Phone	Avaya			Y	
10	Cancer Clinic	10B062	Team Work Area	Phone	Avaya			Y	
10	Cancer Clinic	10B062	Team Work Area	Phone	Avaya			Y	
10	Cancer Clinic	10B062	Team Work Area	Phone	Avaya			Y	
10	Cancer Clinic	10B062	Team Work Area	Phone	Avaya			Y	
10	Cancer Clinic	10E005	Administrative Assistant	Copier	Ricoh	IM 550	14495092	Y	
10	Cancer Clinic	10E005	Administrative Assistant	Phone	Avaya			Y	
10	Cancer Clinic	10E005D	Nursing Admin	Printer	HP	Laserjet P4014dn	LP0506	Y	
10	Cancer Clinic	10E005D	Nursing Admin	Laptop	Lenovo		Unknown	Y	
10	Cancer Clinic	10E005D	Nursing Admin	PC	Lenovo		HOSBL03MG10B052	Y	
10	Cancer Clinic	10E005D	Nursing Admin	Docking Station	Lenovo			Y	
10	Cancer Clinic	10E005D	Nursing Admin	Monitor	Acer			Y	Dual Monitor Config
10	Cancer Clinic	10E005D	Nursing Admin	Monitor	Acer			Y	Dual Monitor Config
10	Cancer Clinic	10E005D	Nursing Admin	Desktop Articulating Arm				Y	Dual Monitor Config
10	Cancer Clinic	10E005D	Nursing Admin	Phone				Y	
10	Cancer Clinic	10E005C	Office	Phone				Y	
10	Cancer Clinic	10E005A	Cancer Admin	Laptop	Lenovo	Think Pad	Unknown	Y	
10	Cancer Clinic	10E005A	Cancer Admin	PC	Lenovo		HOSBL02MG10E005	Y	
10	Cancer Clinic	10E005A	Cancer Admin	Monitor	Acer			Y	
10	Cancer Clinic	10E005A	Cancer Admin	Monitor	Acer			Y	
10	Cancer Clinic	10E005A	Cancer Admin	Docking Station	Lenovo			Y	
10	Cancer Clinic	10E005A	Cancer Admin	Phone	Avaya			Y	
10	Cancer Clinic	10E005A	Cancer Admin	Speakers				Y	
10	Cancer Clinic	10E005B	Project Manager	Laptop	Lenovo		Unknown	Y	
10	Cancer Clinic	10E005B	Project Manager	PC	Lenovo		PCABL02MG10E005	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
10	Cancer Clinic	10E005B	Project Manager	Docking Station	Lenovo			Y	
10	Cancer Clinic	10E005B	Project Manager	Phone	Avaya			Y	
10	Cancer Clinic	10E005B	Project Manager	Monitor	Acer			Y	
10	Cancer Clinic	10E005B	Project Manager	Monitor	Acer			Y	
10	Cancer Clinic	10E005B	Project Manager	Standing Desk				Y	
10	Pharmacy		Pharmacist Station	Monitor	View Sonic			Y	PC Mtd. On back of monitor
10	Pharmacy		Pharmacist Station	PC	Lenovo		RXOAD13MG10B043	Y	
10	Pharmacy		Pharmacist Station	Label Printer	Zebra	LP2844-2	FILL1ONCO	Y	Older model
10	Pharmacy		Pharmacist Station	Phone	Avaya			Y	
10	Pharmacy		Pharmacist Station	Desk Mounted Arm				Y	PC and Monitor Mtd. On Arm
10	Pharmacy		Pharmacist Station	Barcode Reader	Symbol			Y	
10	Pharmacy		Pharmacist Station	Barcode Reader	Symbol			Y	
10	Pharmacy		Pharmacist Station	Printer	HP	Laserjet P4014dn	0143	Y	10.64.107.207
10	Pharmacy		Tech Station	Phone	Avaya			Y	
10	Pharmacy		Tech Station	Scanner	Fujitsu	F1-2160		Y	
10	Pharmacy		Tech Station	PC	Lenovo		RXOAD12MG10B043	Y	
10	Pharmacy		Tech Station	Monitor	View Sonic			Y	
10	Pharmacy		Tech Station	Label Printer	Zebra	LP2844-2		Y	
10	Pharmacy		Tech Station	Barcode Reader	Symbol			Y	
10	Pharmacy		Tech Station	Barcode Reader	Symbol			Y	
10	Pharmacy		Tech Station	Desk Mounted Arm				Y	
10	Pharmacy		Retail Windows	PC	Lenovo		RXOAD11MG10B043	Y	
10	Pharmacy		Retail Windows	Monitor	Acer			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
10	Pharmacy		Retail Windows	Phone	Avaya			Y	
10	Pharmacy		Retail Windows	Label Printer	Zebra	GK420D	GHSLPZEBRA6901	Y	
10	Pharmacy		Retail Windows	Barcode Reader	Symbol			Y	
10	Pharmacy		Retail Windows	POS	Planar	RX30	P: Prxos104569	Y	Cash, PC, BR, Print, CC Swipe
10	Pharmacy		Retail Windows	eSignature Pad	Topaz			Y	
10	Pharmacy		Fridge 4	Temp Monitor	Centrak	ITD-738FBG	T01361249	Y	
10	Pharmacy		Fridge 2	Temp Monitor	Centrak	ITD-738FBG	T01362394	Y	
10	Pharmacy		Work Area	PC	Lenovo		RXOAD14MG10B043	Y	
10	Pharmacy		Work Area	PC	Lenovo		RXOAD01MG10B043	Y	
10	Pharmacy		Work Area	PC	Lenovo		RXOAD03MG10B043	Y	
10	Pharmacy		Work Area	Monitor	Planar	PLL2410W		Y	
10	Pharmacy		Work Area	Monitor	Planar	PLL2410W		Y	
10	Pharmacy		Work Area	Monitor	Planar	PLL2410W		Y	
10	Pharmacy		Work Area	Phone	Avaya			Y	
10	Pharmacy		Work Area	Phone	Avaya			Y	
10	Pharmacy		Work Area	Phone	Avaya			Y	
10	Pharmacy		Work Area	Label Printer	Zebra	S4M	ZEBRAS4M009	Y	
10	Pharmacy		Work Area	Desk Mounted Arm				Y	
10	Pharmacy		Work Area	Desk Mounted Arm				Y	
10	Pharmacy		Work Area	Desk Mounted Arm				Y	
10	Pharmacy		Work Area	Label Printer	Zebra	ZT410	ZEBRAS4M012	Y	
10	Pharmacy		Work Area	Printer	HP	Laserjet P4014dn	LP0804	Y	
10	Pharmacy		Work Area	PC	Lenovo		RXOCD04MG10B043	Y	
10	Pharmacy		Work Area	PC	Lenovo		BCAMG10BRX	Y	Epic Downtime Workstation
10	Pharmacy		Work Area	Monitor	Dell			Y	
10	Pharmacy		Work Area	PC	Lenovo		RXOCD04MG10B043	Y	
10	Pharmacy		Work Area	Monitor	Planar			Y	Touch Screen
10	Pharmacy		Work Area	Barcode Reader	Zebra			Y	
10	Pharmacy		Work Area	Monitor	Dell			Y	
10	Pharmacy		Work Area	PC	Lenovo		RXIAD08MG10B043	Y	
10	Pharmacy		Work Area	Monitor	Planar			Y	Touch Screen
10	Pharmacy		Work Area	Barcode Reader	Zebra			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
10	Pharmacy		Work Area	Monitor	Dell			Y	
10	Pharmacy		Work Area	PC	Lenovo		RXOCD07MG10B043	Y	
10	Pharmacy		Work Area	Monitor	Planar			Y	Touch Screen
10	Pharmacy		Work Area	Barcode Reader	Zebra			Y	
10	Pharmacy		Clean Room	Temp Monitor	Centrax	ITD-738FBG	T01361413	Y	
10	Pharmacy		Clean Room	Temp Monitor	Centrax	ITD-738FBG	T01362006	Y	
10	Pharmacy		Work Area	Fax	Canon	imageRunner 1025iF	0141	Y	
12	Surgery Clinic	12D002	Registration	Printer	HP	Laserjet P4014dn	LP0817	Y	
12	Surgery Clinic	12D002	Registration	PC	Lenovo		AMBCD05MG12CREG	Y	Missing 1
12	Surgery Clinic	12D002	Registration	PC	Lenovo		PERCD02MG12C002	Y	
12	Surgery Clinic	12D002	Registration	PC	Lenovo		AMBCD02MG12D004	Y	
12	Surgery Clinic	12D002	Registration	Monitor	Acer			Y	
12	Surgery Clinic	12D002	Registration	Monitor	Acer			Y	
12	Surgery Clinic	12D002	Registration	Monitor	Acer			Y	
12	Surgery Clinic	12D002	Registration	Monitor	Acer			Y	
12	Surgery Clinic	12D002	Registration	Phone	Avaya			Y	
12	Surgery Clinic	12D002	Registration	Phone	Avaya			Y	
12	Surgery Clinic	12D002	Registration	Phone	Avaya			Y	
12	Surgery Clinic	12D002	Registration	Phone	Avaya			Y	
12	Surgery Clinic	12D002	Registration	Phone	Avaya			Y	
12	Surgery Clinic	12D002	Registration	eSignature Pad	Topaz			Y	
12	Surgery Clinic	12D002	Registration	eSignature Pad	Topaz			Y	
12	Surgery Clinic	12D002	Registration	eSignature Pad	Topaz			Y	
12	Surgery Clinic	12D002	Registration	Scanner	Fujitsu	FI-6130		Y	
12	Surgery Clinic	12D002	Registration	Scanner	Fujitsu	FI-6130		Y	
12	Surgery Clinic	12D002	Registration	Scanner	Fujitsu	FI-7160		Y	
12	Surgery Clinic	12D002	Registration	PC	Lenovo		12DBCAPC01	Y	Downtime
12	Surgery Clinic	12D002	Registration	Copier	Ricoh	IM550	14493446	Y	
12	Surgery Clinic	D1242	Financial Counseling	Copier	Ricoh	IM550	14495329	Y	
12	Surgery Clinic	D1242	Financial Counseling	PC	Lenovo		PERBD03MG12D003	Y	
12	Surgery Clinic	D1242	Financial Counseling	Monitor	Acer	24"		Y	
12	Surgery Clinic	D1242	Financial Counseling	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
12	Surgery Clinic	D1242	Financial Counseling	Phone	Avaya			Y	
12	Surgery Clinic	D1242	Financial Counseling	eSignature Pad	Topaz			Y	
12	Surgery Clinic	D1242	Financial Counseling	Scanner	Fujitsu	F1-7160		Y	
12	Surgery Clinic	D1242	Financial Counseling	CC Swipe/POS	Magtech			Y	
12	Surgery Clinic	D1242	Financial Counseling	Printer	HP	Laserjet P4014dn	LP0818	Y	
12	Surgery Clinic	D1242	Financial Counseling	Fax	Brother	Intellifax 2820		Y	
12	Surgery Clinic	D1242	Financial Counseling	Speakers	Dell			Y	
12	Surgery Clinic	D1241	Nurse Station	PC	Lenovo		AMBBD02MG12CNSF	Y	
12	Surgery Clinic	D1241	Nurse Station	PC	Lenovo		AMBBD01MG12DNSF	Y	
12	Surgery Clinic	D1241	Nurse Station	PC	Lenovo		AMBBD02MG12D005	Y	
12	Surgery Clinic	D1241	Nurse Station	Monitor	Acer			Y	
12	Surgery Clinic	D1241	Nurse Station	Monitor	Acer			Y	
12	Surgery Clinic	D1241	Nurse Station	Monitor	Acer			Y	
12	Surgery Clinic	D1241	Nurse Station	Scanner	Fujitsu	FI-7160		Y	
12	Surgery Clinic	D1241	Nurse Station	eSignature Pad	Topaz			Y	
12	Surgery Clinic	D1241	Nurse Station	eSignature Pad	Topaz			Y	
12	Surgery Clinic	D1241	Nurse Station	Printer	HP	Laserjet P4014dn	LP0816	Y	
12	Surgery Clinic	D1241	Nurse Station	Fax	Brother	Intellifax 2840	0066	Y	
12	Surgery Clinic	D1241	Nurse Station	Phone	Avaya			Y	
12	Surgery Clinic	D1241	Nurse Station	Phone	Avaya			Y	
12	Surgery Clinic	D1241	Nurse Station	Phone	Avaya			Y	
12	Surgery Clinic	D1241	Nurse Station	WOW: PC/Monitor/Barcode Reader/eSignature Pad	JACO (Centrak #T00630532): Lenovo/Acer/Symbol/Topaz	Ultra Series	WOW: CIUAX01MG12D007	Y	
12	Surgery Clinic	D1206	Practice Administrator Office	Laptop	Lenovo			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
12	Surgery Clinic	D1206	Practice Administrator Office	Docking Station	Lenovo			Y	
12	Surgery Clinic	D1206	Practice Administrator Office	Monitor	Acer		ADMBL01MG12D006	Y	Dual Monitor Config
12	Surgery Clinic	D1206	Practice Administrator Office	Monitor	Acer			Y	
12	Surgery Clinic	D1206	Practice Administrator Office	Phone	Avaya			Y	
12	Surgery Clinic	D1206	Practice Administrator Office	Sound Bar				Y	
12	Surgery Clinic	D1206	Practice Administrator Office	Printer	HP	LaserJet 600 M601	GHSLP12D006	Y	
12	Surgery Clinic	12D011	Exam 2	PC	Lenovo		AMBAD01MG12D002	Y	
12	Surgery Clinic	12D011	Exam 2	Monitor	Acer			Y	
12	Surgery Clinic	12D011	Exam 2	Phone	Avaya			Y	
12	Surgery Clinic	12D011	Exam 2	Barcode Reader	Symbol			Y	
12	Surgery Clinic	12D011	Exam 2	eSignature Pad	Topaz			Y	
12	Surgery Clinic	12D013	Exam 3	PC	Lenovo		AMBAD01MG12D003	Y	
12	Surgery Clinic	12D013	Exam 3	Monitor	Acer			Y	
12	Surgery Clinic	12D013	Exam 3	Phone	Avaya			Y	
12	Surgery Clinic	12D013	Exam 3	Barcode Reader	Symbol			Y	
12	Surgery Clinic	12D013	Exam 3	eSignature Pad	Topaz			Y	
12	Surgery Clinic	12D015	Exam 4	PC	Lenovo		AMBAD01MG12D004	Y	
12	Surgery Clinic	12D015	Exam 4	Monitor	Lenovo			Y	Telehealth
12	Surgery Clinic	12D015	Exam 4	Phone	Avaya			Y	
12	Surgery Clinic	12D015	Exam 4	Barcode Reader	Symbol			Y	
12	Surgery Clinic	12D015	Exam 4	eSignature Pad	Topaz			Y	
12	Surgery Clinic	12D017	Exam 5	PC	Lenovo		AMBAD01MG12D005	Y	
12	Surgery Clinic	12D017	Exam 5	Monitor	Lenovo			Y	Telehealth
12	Surgery Clinic	12D017	Exam 5	Phone	Avaya			Y	
12	Surgery Clinic	12D017	Exam 5	Barcode Reader	Symbol			Y	
12	Surgery Clinic	12D017	Exam 5	eSignature Pad	Topaz			Y	





Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
12	Surgery Clinic	12D023	Nursing Intake	PC	Lenovo		AMBAD02MG12D023	Y	Extra Strike Out
12	Surgery Clinic	12D023	Nursing Intake	Monitor	Lenovo			Y	Telehealth
12	Surgery Clinic	12D023	Nursing Intake	Phone	Avaya			Y	
12	Surgery Clinic	12D027	Exam 7	PC	Lenovo		Unknown	Y	
12	Surgery Clinic	12D027	Exam 7	Monitor	Lenovo			Y	Telehealth
12	Surgery Clinic	12D027	Exam 7	Phone	Avaya			Y	
12	Surgery Clinic	12D027	Exam 7	Wall Mount	Ergotron			N	Mount only; no PC on it
12	Surgery Clinic	12D027	Exam 7	eSignature Pad	Topaz			Y	
12	Surgery Clinic	12D026	Exam 8	Wall Mount	Ergotron			N	
12	Surgery Clinic	12D026	Exam 8	Monitor	Acer			Y	
12	Surgery Clinic	12D026	Exam 8	PC	Lenovo		AMBAD01MG12D026	Y	
12	Surgery Clinic	12D026	Exam 8	Phone	Avaya			Y	
12	Surgery Clinic	12D029	Exam 9	Wall Mount	Ergotron			N	
12	Surgery Clinic	12D029	Exam 9	Monitor	Acer			Y	
12	Surgery Clinic	12D029	Exam 9	PC	Lenovo		AMBAD03MG12G032	Y	
12	Surgery Clinic	12D029	Exam 9	Phone	Avaya			Y	
12	Surgery Clinic	12D029	Exam 9	eSignature Pad	Topaz			Y	
12	Surgery Clinic	12D028	Exam 10	Wall Mount	Ergotron			N	
12	Surgery Clinic	12D028	Exam 10	Monitor	Acer			Y	
12	Surgery Clinic	12D028	Exam 10	Monitor	Lenovo			Y	Telehealth
12	Surgery Clinic	12D028	Exam 10	PC	Lenovo		AMBAD03MG12D032	Y	
12	Surgery Clinic	12D028	Exam 10	Phone	Avaya			Y	
12	Surgery Clinic	12D033B	Exam 11	Wall Mount	Ergotron			N	
12	Surgery Clinic	12D033B	Exam 11	Monitor	Acer			Y	
12	Surgery Clinic	12D033B	Exam 11	PC	Lenovo		AMBAD02MG12D033	Y	
12	Surgery Clinic	12D033B	Exam 11	Phone	Avaya			Y	
12	Surgery Clinic	12D033A	Exam 12	Wall Mount	Ergotron			N	
12	Surgery Clinic	12D033A	Exam 12	Monitor	Acer			Y	
12	Surgery Clinic	12D033A	Exam 12	PC	Lenovo		AMBAD01MG12D033	Y	
12	Surgery Clinic	12D033A	Exam 12	Phone	Avaya			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	PC	Lenovo		AMBAD01MG12D033	Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	PC	Lenovo		AMBAD01MG12D028	Y	

Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
12	Surgery Clinic	12D032	Conference Room (Work Room)	PC	Lenovo		AMBAD05MG12D032	Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	PC	Lenovo		AMBAD09MG12D032	Y	Epic Workstation
12	Surgery Clinic	12D032	Conference Room (Work Room)	PC	Lenovo		AMBAD13MG12D032	Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	PC	Lenovo		AMBAD12MG12D032	Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	PC	Lenovo		AMBAX14MG12D032	Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	PC	Lenovo		RADAD01MG12D032	Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	Acer			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	Acer			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	Acer			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	Acer			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	Acer			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	Acer			Y	

Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	Acer			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	NEC	Multisync EA241WM		Y	PACS Viewing Station
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	NEC	Multisync EA241WM		Y	PACS Viewing Station
12	Surgery Clinic	12D032	Conference Room (Work Room)	Monitor	NEC	Multisync EA241WM		Y	PACS Viewing Station
12	Surgery Clinic	12D032	Conference Room (Work Room)	Phone	Avaya			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Phone	Avaya			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Phone	Avaya			Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Printer	HP	Laserjet P4014dn	LP0814	Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Speakers				Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Sound Bar				Y	
12	Surgery Clinic	12D032	Conference Room (Work Room)	Sound Bar				Y	
9B	Breast Oncology	9B055	Consult/ Education	PC	Lenovo		Unknown	Y	
9B	Breast Oncology	9B055	Consult/ Education	Monitor	Lenovo			Y	Telehealth



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9B	Breast Oncology	9B055	Consult/ Education	Phone	Avaya			Y	
9B	Breast Oncology	9B055	Consult/ Education	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B059	Exam 1	PC	Lenovo		GCCAD02MG09B059	Y	
9B	Breast Oncology	9B059	Exam 1	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B059	Exam 1	Phone	Avaya			Y	
9B	Breast Oncology	9B059	Exam 1	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B061	Exam 2	PC	Lenovo		GCCAD02MG09B061	Y	
9B	Breast Oncology	9B061	Exam 2	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B061	Exam 2	Phone	Avaya			Y	
9B	Breast Oncology	9B061	Exam 2	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B063	Exam 3	PC	Lenovo		GCCAD02MG09B063	Y	
9B	Breast Oncology	9B063	Exam 3	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B063	Exam 3	Phone	Avaya			Y	
9B	Breast Oncology	9B063	Exam 3	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B067	Conference	PC	Lenovo		GCCAD03MG09B067	Y	
9B	Breast Oncology	9B067	Conference	PC	Lenovo		GCCAD04MG09B067	Y	
9B	Breast Oncology	9B067	Conference	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B067	Conference	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B067	Conference	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9B	Breast Oncology	9B067	Conference	Printer	HP	Laserjet P4014dn	LP0718	Y	
9B	Breast Oncology	9B067	Conference	WOW: PC/Monitor/Barcode Reader	JACO (Centrak #T00631481): Lenovo/Acer/Symbol	Ultra Series	WOW JC67639: GCCAX02MG09BNSB	Y	
9B	Breast Oncology	9B067	Conference	WOW: PC/Monitor/Barcode Reader	JACO (Centrak #T00638751): Lenovo/Lenovo/Symbol	Ultra Series	WOW : TELAX13MG05ANSF	Y	
9B	Breast Oncology	9B069	Staff	Wall Phone	Avaya			Y	
9B	Breast Oncology	9B071	Exam 5	PC	Lenovo		GCCAD02MG09B071	Y	
9B	Breast Oncology	9B071	Exam 5	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B071	Exam 5	Phone	Avaya			Y	
9B	Breast Oncology	9B071	Exam 5	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B073	Exam 6	PC	Lenovo			Y	
9B	Breast Oncology	9B073	Exam 6	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B073	Exam 6	Phone	Avaya			Y	
9B	Breast Oncology	9B073	Exam 6	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B075	Exam 7	PC	Lenovo		GCCAD02MG09B075	Y	
9B	Breast Oncology	9B075	Exam 7	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B075	Exam 7	Phone	Avaya			Y	
9B	Breast Oncology	9B075	Exam 7	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B077	Exam 8	PC	Lenovo		GCCAD02MG09B077	Y	
9B	Breast Oncology	9B077	Exam 8	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B077	Exam 8	Phone	Avaya			Y	
9B	Breast Oncology	9B077	Exam 8	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B079	Exam 9	PC	Lenovo		GCCAD02MG09B079	Y	
9B	Breast Oncology	9B079	Exam 9	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B079	Exam 9	Phone	Avaya			Y	
9B	Breast Oncology	9B079	Exam 9	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B079	Exam 9	Label Printer	Zebra	GK420D		Y	
9B	Breast Oncology	9B081	Exam 10	PC	Lenovo		GCCAD02MG09B081	Y	
9B	Breast Oncology	9B081	Exam 10	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B081	Exam 10	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9B	Breast Oncology	9B081	Exam 10	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B081	Exam 10	Label Printer	Zebra	GK420D		Y	
9B	Breast Oncology	9B078	Procedure 1	PC	Lenovo		GCCAD02MG09B078	Y	
9B	Breast Oncology	9B078	Procedure 1	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B078	Procedure 1	Phone	Avaya			Y	
9B	Breast Oncology	9B078	Procedure 1	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B078	Procedure 1	Label Printer	Zebra	GK420D		Y	
9B	Breast Oncology	9B083	FNA Procedure 2	PC	Lenovo		GCCAD02MG09B083	Y	
9B	Breast Oncology	9B083	FNA Procedure 2	Monitor	Lenovo			Y	Telehealth
9B	Breast Oncology	9B083	FNA Procedure 2	Phone	Avaya			Y	
9B	Breast Oncology	9B083	FNA Procedure 2	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B083	FNA Procedure 2	Label Printer	Zebra	GK420D		Y	
9B	Breast Oncology	9B085	FNA Procedure	PC	Lenovo		HOSAD01MG09B085	Y	
9B	Breast Oncology	9B085	FNA Procedure	PC	Lenovo		RADAD03MG09B085	Y	
9B	Breast Oncology	9B085	FNA Procedure	Monitor	Acer			Y	
9B	Breast Oncology	9B085	FNA Procedure	Monitor	Acer			Y	
9B	Breast Oncology	9B085	FNA Procedure	Phone	Avaya			Y	
9B	Breast Oncology	9B085	FNA Procedure	Printer	HP	Laserjet P4014dn	LP0507	Y	
9B	Breast Oncology	9B085	FNA Procedure	WOW: PC/Monitor/Barcode Reader	JACO (Centrak #T00631615): Lenovo/Dell/Symbol	Ultra Series	WOW JC67582: TELAX10MG05ANSF	Y	
9B	Breast Oncology	9B087	Pathology	PC	Lenovo		RADAD02MG09B087	Y	
9B	Breast Oncology	9B087	Pathology	Monitor	Acer			Y	
9B	Breast Oncology	9B087	Pathology	Phone	Avaya			Y	
9B	Breast Oncology	9B087	Pathology	eSignature Pad	Topaz			Y	
9B	Breast Oncology	9B087	Pathology	Printer	HP	Laserjet P4014dn	LP0800	Y	
9B	Breast Oncology	9B062	Team Work Area	Copier	Ricoh	IM 600SRF	14495338	Y	
9B	Breast Oncology	9B062	Team Work Area	Printer	Lexmark	X364dn	0162	Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9B	Breast Oncology	9B062	Team Work Area	Printer	HP	Laserjet P4014dn	LP0733	Y	
9B	Breast Oncology	9B062	Team Work Area	Label Printer	Zebra			Y	
9B	Breast Oncology	9B062	Team Work Area	PC	Lenovo		GCCBD01MG09B062	Y	
9B	Breast Oncology	9B062	Team Work Area	PC	Lenovo		GCCCD01MG09B062	Y	
9B	Breast Oncology	9B062	Team Work Area	PC	Lenovo		GCCAD03MG09B002	Y	
9B	Breast Oncology	9B062	Team Work Area	PC	Lenovo		GCCCD06MG09B062	Y	
9B	Breast Oncology	9B062	Team Work Area	PC	Lenovo		GCCAD06MG09B062	Y	
9B	Breast Oncology	9B062	Team Work Area	PC	Lenovo		GCCBD05MG09B062	Y	
9B	Breast Oncology	9B062	Team Work Area	PC	Lenovo		GCCCD07MG09B062	Y	
9B	Breast Oncology	9B062	Team Work Area	PC	Lenovo		GCCAD04MG09B062	Y	
9B	Breast Oncology	9B062	Team Work Area	Monitor	Acer			Y	
9B	Breast Oncology	9B062	Team Work Area	Monitor	Acer			Y	
9B	Breast Oncology	9B062	Team Work Area	Monitor	Acer			Y	
9B	Breast Oncology	9B062	Team Work Area	Monitor	Acer			Y	
9B	Breast Oncology	9B062	Team Work Area	Monitor	Acer			Y	
9B	Breast Oncology	9B062	Team Work Area	Monitor	Acer			Y	
9B	Breast Oncology	9B062	Team Work Area	Monitor	Acer			Y	
9B	Breast Oncology	9B062	Team Work Area	Monitor	Acer			Y	
9B	Breast Oncology	9B062	Team Work Area	Phone	Avaya			Y	



Reuse and Recommendation Report - 12/2/20 (Inventory 10/5/20)



Flr.	Department	Room #	Space Name	Item Name	Manufacturer	Model	IT / Biomed Asset Tag	Reuse (Y/N)	Notes
9B	Breast Oncology	9B062	Team Work Area	Phone	Avaya			Y	
9B	Breast Oncology	9B062	Team Work Area	Phone	Avaya			Y	
9B	Breast Oncology	9B062	Team Work Area	Phone	Avaya			Y	
9B	Breast Oncology	9B062	Team Work Area	Phone	Avaya			Y	
9B	Breast Oncology	9B062	Team Work Area	Phone	Avaya			Y	
9B	Breast Oncology	9B062	Team Work Area	Phone	Avaya			Y	