

SECTION 014525 - STRUCTURAL TESTING/INSPECTION AGENCY SERVICES

PART 1 - GENERAL

1.1 SECTION INCLUDES

- A. Section summarizes the responsibility of the Contractor and the Structural Testing/Inspection Agency in the performance of the testing/inspection specified in the Contract Documents.
- B. Neither the observation of the Design Professional in the administration of the contract, nor tests/inspections by the Testing/Inspection Agency, nor approvals by persons other than the Design Professional shall relieve the Contractor from his obligation to perform the work in accordance with the Contract Documents.

1.2 RELATED SECTIONS

- A. Section 013330 - Structural Submittals.
- B. Section 014000 - Quality Control Services.

1.3 REFERENCES

- A. ASTM D3740 - Practice for Evaluation of Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction.
- B. ASTM E329 - Recommended Practice for Inspection and Testing Agencies for Concrete, Steel, and Bituminous Materials as Used in Construction.
- C. American Council of Independent Laboratories - Recommended Requirements for Independent Laboratories Qualifications.

1.4 SELECTION AND PAYMENT

- A. Owner will employ and pay for the structural testing/inspection services that are required by the Contract Documents.
- B. Contractor shall pay for any additional structural testing/inspection required for work or materials not complying with Contract Documents due to negligence or nonconformance.
- C. Contractor shall pay for any additional structural testing/inspection required for his convenience.
- D. Qualifications: Minimum Special Inspector qualifications shall be per Table 1704.2 of 2022 Georgia State Amendments to the International Building Code (2018 Edition).

1.5 STRUCTURAL TESTING/INSPECTION REQUIREMENT SUMMARY

- A. Specific structural testing/inspection requirements are given in the following specification sections:

Specification 03 1000	-	Concrete Formwork Inspection
Specification 03 2000	-	Concrete Reinforcement Inspection
Specification 03 3000	-	Concrete Testing/Inspection
Specification 03 6200	-	Non-Shrink Grout Inspection
Specification 04 2200	-	Masonry Testing/Inspection
Specification 05 1000	-	Structural Steel Inspection
Specification 05 2000	-	Steel Joist Inspection
Specification 05 3000	-	Metal Deck Inspection

1.6 STATEMENT OF SPECIAL INSPECTIONS

- A. Provide testing/inspection required to meet the provisions of the Schedule of Special Inspection Services below.

PART 2 - MATERIALS

Not Used.

PART 3 - EXECUTION

3.1 STRUCTURAL PRECONSTRUCTION MEETING

- A. A structural preconstruction meeting may be conducted at the construction site by the Design Professional to discuss quality issues. The parties involved may be the Design Professional, Contractor, Structural Testing/Inspection Agency, appropriate subcontractors, suppliers, and detailers.

3.2 STRUCTURAL TESTING/INSPECTION AGENCY'S RESPONSIBILITIES

- A. Cooperate with the Contractor and provide timely service.
- B. Upon arriving at the construction site, sign in and notify the Contractor of presence.
- C. Select the representative samples that are to be tested/ inspected.
- D. Perform tests/ inspections as outlined in Contract Documents, the applicable codes, and as directed by the Design Professional.

- E. Report work and materials not complying with Contract Documents immediately to the Contractor and Design Professional.
- F. Leave copies of field notes with the Contractor prior to leaving the construction site. Field notes shall include the message given to the Contractor, date, time of message, name of Contractor's representative informed, type and location of work or materials tested/inspected, whether the work or materials complies with Contract Documents and name of the Structural Testing/Inspection Agency's representative.
- G. Report and distribute results of tests/inspections promptly in the form of written reports as directed by the Design Professional.
- H. Structural Testing/Inspection Agency shall not alter requirements of Contract Documents, approve or reject any portion of the work, or perform duties of the Contractor.

3.3 CONTRACTOR'S RESPONSIBILITIES

- A. Provide copy of Contract Documents to the Structural Testing/Inspection Agency.
- B. Arrange the preconstruction meeting to discuss quality issues.
- C. Notify the Structural Testing/Inspection Agency sufficiently in advance of operations to allow assignment of personnel and scheduling of tests.
- D. Cooperate with Structural Testing/Inspection Agency and provide access to work.
- E. Provide samples of materials to be tested in required quantities.
- F. Furnish copies of mill test reports when requested.
- G. Provide storage space for Structural Testing/Inspection Agency's exclusive use, such as for storing and curing concrete testing samples.
- H. Provide labor to assist the Structural Testing/Inspection Agency in performing tests/inspections.

3.4 OPTIONS

- A. If the Structural Testing/Inspection Agency is located at such a distance from the project that travel expenses will be a consideration, or if the amount of sampling performed is minor, and by mutual agreement of the Design Professional and Contractor, the Contractor may be requested to take samples and forward them to the Structural Testing/Inspection Agency for testing/inspection.

END OF SECTION 014525